


# PIPELINE CM1

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM1 linear LED pendant introduces two articulating Elbows connected to linear LED sections. The Elbows facilitate a range of fixed positions for the fixture to be suspended.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

100 x 29 x 5cm / 39.25" x 11.5" x 2"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES

Black



'BK'

White



'WH'

Copper



'CP'

Brass



'BR'

Polish / Copper



'PC'

Black / Copper



'BC'

## ELECTRICAL

12W Linear Led

70 000 hrs lifetime

2700K / 4100K

91 CRI

120V input 60Hz (\*220V & 277V available upon request).

24V DC

Low Voltage Magnetic Driver

Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



	FINISH	TEMP.	CODE	
PIPELINE CM1	Black	WW / 2700K	PIP-CM1-P-WW-BK-024	<input type="checkbox"/>
	Black	NW / 4100K	PIP-CM1-P-NW-BK-024	<input type="checkbox"/>
	Copper	WW / 2700K	PIP-CM1-P-WW-CP-024	<input type="checkbox"/>
	Copper	NW / 4100K	PIP-CM1-P-NW-CP-024	<input type="checkbox"/>
	Polish / Copper	WW / 2700K	PIP-CM1-P-WW-PC-024	<input type="checkbox"/>
	Polish / Copper	NW / 4100K	PIP-CM1-P-NW-PC-024	<input type="checkbox"/>
	White	WW / 2700K	PIP-CM1-P-WW-WH-024	<input type="checkbox"/>
	White	NW / 4100K	PIP-CM1-P-NW-WH-024	<input type="checkbox"/>
	Brass	WW / 2700K	PIP-CM1-P-WW-BR-024	<input type="checkbox"/>
	Brass	NW / 4100K	PIP-CM1-P-NW-BR-024	<input type="checkbox"/>
	Black / Copper	WW / 2700K	PIP-CM1-P-WW-BC-024	<input type="checkbox"/>
	Black / Copper	NW / 4100K	PIP-CM1-P-NW-BC-024	<input type="checkbox"/>




**illuminations**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com

# PIPELINE CM2

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM2 linear LED pendant introduces two articulating Elbows connected to linear LED sections. The Elbows facilitate a range of fixed positions for the fixture to be suspended.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

183 x 29 x 5cm / 72.5" x 11.5" x 2"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES



## ELECTRICAL

27W Linear Led  
70 000 hrs lifetime  
2700K / 4100K  
91 CRI  
120V input 60Hz (\*220V & 277V available upon request).  
24V DC  
Low Voltage Magnetic Driver  
Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS




PIPELINE CM2	FINISH	TEMP.	CODE	
	Black	WW / 2700K	PIP-CM2-P-WW-BK-024	<input type="checkbox"/>
	Black	NW / 4100K	PIP-CM2-P-NW-BK-024	<input type="checkbox"/>
	Copper	WW / 2700K	PIP-CM2-P-WW-CP-024	<input type="checkbox"/>
	Copper	NW / 4100K	PIP-CM2-P-NW-CP-024	<input type="checkbox"/>
	Polish / Copper	WW / 2700K	PIP-CM2-P-WW-PC-024	<input type="checkbox"/>
	Polish / Copper	NW / 4100K	PIP-CM2-P-NW-PC-024	<input type="checkbox"/>
	White	WW / 2700K	PIP-CM2-P-WW-WH-024	<input type="checkbox"/>
	White	NW / 4100K	PIP-CM2-P-NW-WH-024	<input type="checkbox"/>
	Brass	WW / 2700K	PIP-CM2-P-WW-BR-024	<input type="checkbox"/>
	Brass	NW / 4100K	PIP-CM2-P-NW-BR-024	<input type="checkbox"/>
	Black / Copper	WW / 2700K	PIP-CM2-P-WW-BC-024	<input type="checkbox"/>
	Black / Copper	NW / 4100K	PIP-CM2-P-NW-BC-024	<input type="checkbox"/>



425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064  
sales@illumco.com

# PIPELINE CM3

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM3 linear LED pendant introduces two articulating Elbows connected to linear LED sections. The Elbows facilitate a range of fixed positions for the fixture to be suspended.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

267 x 7.5 x 5cm / 105.5" x 12" x 2"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES



## ELECTRICAL

42W Linear Led  
70 000 hrs lifetime  
2700K / 4100K  
91 CRI  
120V input 60Hz (\*220V & 277V available upon request).  
24V DC  
Low Voltage Magnetic Driver  
Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



PIPELINE CM3	FINISH	TEMP.	CODE	
	Black	WW / 2700K	PIP-CM3-P-WW-BK-024	<input type="checkbox"/>
	Black	NW / 4100K	PIP-CM3-P-NW-BK-024	<input type="checkbox"/>
	Copper	WW / 2700K	PIP-CM3-P-WW-CP-024	<input type="checkbox"/>
	Copper	NW / 4100K	PIP-CM3-P-NW-CP-024	<input type="checkbox"/>
	Polish / Copper	WW / 2700K	PIP-CM3-P-WW-PC-024	<input type="checkbox"/>
	Polish / Copper	NW / 4100K	PIP-CM3-P-NW-PC-024	<input type="checkbox"/>
	White	WW / 2700K	PIP-CM3-P-WW-WH-024	<input type="checkbox"/>
	White	NW / 4100K	PIP-CM3-P-NW-WH-024	<input type="checkbox"/>
	Brass	WW / 2700K	PIP-CM3-P-WW-BR-024	<input type="checkbox"/>
	Brass	NW / 4100K	PIP-CM3-P-NW-BR-024	<input type="checkbox"/>
	Black / Copper	WW / 2700K	PIP-CM3-P-WW-BC-024	<input type="checkbox"/>
	Black / Copper	NW / 4100K	PIP-CM3-P-NW-BC-024	<input type="checkbox"/>



425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064  
sales@illumco.com