

Discovery Typologies

An ultra-light aluminum profile hosts a LED strip that injects light into a technopolymer surface with microengravings. The microengravings pattern ensures maximum efficiency

and uniformity in direct and indirect emission. Dimmable devices (push dimmer). Available as suspension and wall/ceiling Ø 70 cm, as vertical suspension Ø 70-100-140 cm.



Artemide App
↪ on request

Discovery Horizontal Suspension



XF 46W
(>45°) 2298 lm

UGR<19
Uniform and diffuse light suitable for workplaces. High-end and innovative technology. Maximum efficiency and uniformity. Perfectly transparent surfaces. Extracting light.

Discovery Vertical Ø 70 Suspension



XF 40W
(>45°) 2857 lm

Discovery Vertical Ø 100 Suspension




XF 60W
(>45°) 4859 lm

Discovery Vertical Ø 140 Suspension



XF 80W
(>45°) 6762 lm

Discovery Wall



XF 46W
(>45°) 2298 lm





ATTIMI BY HEINZ BECK - MILAN, ITALY
Photo Credit : Andrea Martiradonna



ATELIER CAZZARO COSTRUZIONI
Photo Credit : Federico Villa

Discovery

Technical Data

Discovery Vertical Suspension

Diffuser ○	Rim ●	Rim ●	The App driver can not be controlled by DALI dimming system and viceversa
Transparent	Black	Polished Aluminum	
			MacAdam 3SDCM, Life L90 (6K) 50000h. Dimmable 2-Wire



Ø	W	Voltage	CCT	Delivered Lumens	Beam	CRI
70 cm	40W	120V	3000K	2857.48 lm	XF	>90
100 cm	60W	120V	3000K	4859 lm	XF	>90
140 cm	80W	120V	3000K	6761.93 lm	XF	>90

