

UPNELL60
Design by Manuel Vivian

Collection consisting of ceiling or wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

Typology: CEILING - WALL LAMP


Ratings

- E26
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame, painted

Product code composition

NELLY / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source
UP	NELL 60	BC ivory white	XX white metal	E26 [#] 2 x Max 17W LED or 2 x Max 26W fluo (see details on page 2)
		FA ivory pattern		
		FB white pattern		



DRY LOCATION

example composition code | UP | NELL60 | FA | XX | E26

for optional accessories please refer to our pricelist or contact our representatives

Available lampshade colors



BC
White

FA
Ivory pattern

FB
White pattern

UPNELL60_ _XXE27

CUSTOMER _____

NOTES _____

Luminous flux for all built-in LED luminaires is shown at source level.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com



UPNELL100

Design by Manuel Vivian

Collection consisting of ceiling or wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.


Typology: CEILING-WALL LAMP

Ratings

- E26
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame, painted

Product code composition

NELLY / application: both as ceiling or wall lamp



Type	Article	Colours	Finish	Source
UP	NEL 100	BC ivory white	XX white metal	E26 [#] 3 x Max 17W LED or 3 x Max 26W fluo (see details on page 2)
		FA ivory pattern		
		FB white pattern		



DRY LOCATION

example composition code | **UP** | **NEL100** | **FB** | **XX** | **E26**

for optional accessories please refer to our pricelist or contact our representatives

Available lampshade colors



BC
White

FA
Ivory pattern

FB
White pattern

UPNEL100__XXE27

CUSTOMER _____

NOTES _____

Luminous flux for all built-in LED luminaires is shown at source level.
 Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
 404.876.1064 sales@illumco.com



UPNEL140
Design by Manuel Vivian

Collection consisting of ceiling or wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.


Typology: CEILING-WALL LAMP

Ratings

- E26
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame, painted

Product code composition

NELLY / application: both as ceiling or wall lamp



Type	Article	Colours	Finish	Source
UP	NEL 140	BC ivory white	XX white metal	E26 [#] 4 x Max 17W LED or 4 x Max 26W fluo (see details on page 2)
		FA ivory pattern		
		FB white pattern		



DRY LOCATION

example composition code | **UP** | **NEL140** | **BC** | **XX** | **E26**

for optional accessories please refer to our pricelist or contact our representatives

Available lampshade colors



BC
White

FA
Ivory pattern

FB
White pattern

UPNEL140__XXE27

CUSTOMER _____

NOTES _____

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

