


USULA090IN - recessed

Design by Timo Ripatti

Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum.
Available in several colors and sizes.



Typology: SUSPENDED LAMP

Ratings

- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 5.51 ft³ 6.178

Product code composition


recessed canopy

U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 090 LED	AN anthracite grey	IN recessed canopy	LED 63W - diffused beam 3000K
		RU rust brown		



DRY LOCATION
CRI90
120/277VAC

LED
4904 lm 78 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code **US ULA090LED AN IN**

Available colors


AN
Anthracite
grey

RU
Rust brown

with acoustic
panel


USULA090LED _ _ IN


CUSTOMER _____

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

illuminations

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com



USULA120 - recessed

Design by Timo Ripatti


Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum.
Available in several colors and sizes.

Typology: SUSPENDED LAMP


Ratings

- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 6.61 ft³ 10.76 Product code composition



recessed canopy



U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 120 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 86W - diffused beam 3000K



DRY LOCATION

CRI90

120/277VAC



LED

7354 lm 86 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code | US | ULA120LED | RU | IN |

Available colors



AN
Anthracite
grey



RU
Rust brown


USULA120LED _ _ IN

CUSTOMER _____ NOTES _____

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com



USULA160 - recessed

Design by Timo Ripatti

Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum.
Available in several colors and sizes.

Typology: SUSPENDED LAMP

Ratings


- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 10.58 ft³ 20.12

Product code composition


U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 160 LED	AN anthracite grey	IN recessed canopy	LED 125W - diffused beam 3000K
		RU rust brown		



Ø 160 cm - Ø 63

recessed canopy



DRY LOCATION

CRI90

120/277VAC



LED

11000 lm 88 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code

US

ULA160LED

RU

IN

Available colors



AN
Anthracite
grey



RU
Rust brown

USULA160LED _ _ IN

CUSTOMER

NOTES

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com