



# Product Specification Sheet

## **BuzziBell** 120-277V

— By Chris Hardy

### **Acoustical lighting solution**

Stretching the BuzziFelt to its limits, BuzziBell is recognized by the harmonious curve of its bell-shape. Its design adds softness to a room with the textural look of felt and a delicate, diffused light source or high performance LED engine. BuzziBell is offered in the 10 BuzziFelt colors, has a metal feature and will be CE and UL listed. BuzziBell makes a statement in offices, restaurants, hotels, institutions and residences.




# The Family

**Model  
BuzziBell**

**Lighting Unit**

**LED Disk Ø 470**



---

Required order information

1. BuzziFelt Color
2. Color Frame

# Lighting specifications

## BuzziBell

Lighting Unit	Voltage	Wattage	Light Output Luminaire	Efficacy (lm/W)	CRI	Dimming	Color Temperature	UGR	Standard (stock) On request (>LT)	Color Power Cable	Color Ceiling Canopy	Color Metal Frame	Fabric Collection	Fabric Color	Mounting Option
LED Disk Ø 470	120-277V	35 W	2545 Lm	73	90	1-10V	3000K	22	Standard	Transparent	White	Black (RAL 9005) White (RAL 9010) or Fluo Yellow (RAL 1016)	Use color codes below	Use color codes below*	2 cables of 78.74" black 2 cables of 78.74" alu 2 cables of 157.48" black 2 cables of 157.48" alu



\* Not possible in Buzzifelt EcoBrown and Pink.

cULus listed

# Product Data

## Fixing System


### Fixing System BuzziBell



BuzziBell is suspended on 2 cables of 78.74" or 157.48" black or alu colored cables, with fixing system screw.

⚠ If installing on suspended ceiling, verify load capacity prior to installation.

## Acoustic Shade



The acoustic shade consists of one layer of thermoformed BuzziFelt.



Absorption



Diffusion



Mid tone




High tone


## Metal Frame




The powder coated metal frame is available in 3 colors:



Black  
(RAL 9005)



White  
(RAL 9010)




Fluo Yellow  
(RAL 1016)

---

# Dimensions


## BuzziBell



# Fabrics

---

## Felt\*



**Composition** 100% Recycled PE.T. Felt, latex backing

**Weight** 1.000 g/m<sup>2</sup> | 29.49 oz/yd<sup>2</sup>

**Abrasion resistance** >7.000 Martindale

**Flammability** EU: EN 13501.1 + A1/2009 Class B-s1,d0  
USA: ASTM E84 Class A certified

**Fastness to light** USA 5



\* Due to the process of thermoforming colors may vary slightly.  
Not available in EcoBrown or Pink.