



brushed brass, walnut




brushed brass, under detail



Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.

Nick Sheridan  
Designer

## Amicus 12 pendant



Dimensions: 12" Ø, 10.25"  
Product weight: 3 lb  
Suitable for a sloped ceiling

### Integrated LED Specifications

Light Color Options:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

### E26 Medium Base Specifications

Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)

Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations



### MATERIAL & FINISH OPTIONS

Amicus 12 part # 06-290-12-

#### Metal Shade

brushed brass (CM-047)  
distressed brass (CM-096)  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
black powder coat (CM-049)  
white powder coat (CM-060)

#### Wood Top

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)


#### Lamping\*

2700 K LED  
3500 K LED  
medium base E26 socket

#### Power Option (LED version only)

120-277 V AC input voltage  
TRIAC and ELV dimmable

\*Available in 3000K, 4000K and other color temperatures upon request



low-profile round canopy with SVT-3 cable



brushed brass (CM-047)



distressed brass (CM-096)



brushed aluminum (CM-012)



brushed rose gold (CM-046)




walnut (CM-001)



dark stained walnut (CM-002)





white washed oak (CM-095)





brushed brass, walnut

## Amicus 16 pendant



low-profile round canopy with SVT-3 cable

Dimensions: 15.8" Ø, 13.5"  
Product weight: 4 lb  
Suitable for a sloped ceiling

### Integrated LED Specifications

Light Color Options:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

### E26 Medium Base Specifications

Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Textured Black Powdercoat (CM-049) low profile round canopy with SVT-3 Cable, Black (CM-039)

Canopy dimensions: 5" Ø, 0.3"  
See website for more canopy information  
Field adjustable drop length: 0'6" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations



### MATERIAL & FINISH OPTIONS

Amicus 16 part # 06-290-16-

#### Metal Shade

brushed brass (CM-047)  
distressed brass (CM-096)  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
black powder coat (CM-049)  
white powder coat (CM-060)

#### Wood Top

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

#### Lamping\*

2700 K LED  
3500 K LED  
medium base E26 socket

#### Power Option (LED version only)

120-277 V AC input voltage  
TRIAC and ELV dimmable

\*Available in 3000K, 4000K and other color temperatures upon request



brushed brass (CM-047)



distressed brass (CM-096)



brushed aluminum (CM-012)



brushed rose gold (CM-046)



walnut (CM-001)



dark stained walnut (CM-002)



white washed oak (CM-095)




distressed brass, under detail



Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.

Nick Sheridan  
Designer






brushed brass, walnut





brushed brass, under detail



*Traveling through Morocco, I was in awe of the skilled craftspeople and their impressive work. I was most enamored with the detail and intricacy of the perforated metal light fixtures. The artistry, patterns, and old-world techniques inspired me and ultimately inspired the Amicus.*

Nick Sheridan  
Designer

## Amicus 21 pendant



extended round canopy with SVT-3 cable

Dimensions: 21" Ø, 17.75"  
Product weight: 6 lb  
Suitable for a sloped ceiling

### Integrated LED Specifications

Light Color Options:  
2700 K - 831 Lumens (source)  
3500 K - 873 Lumens (source)  
Color accuracy: 90+ CRI  
Power usage: 10 W  
Dimmable (see power options below)  
JA8-2019 Compliant

### E26 Medium Base Specifications

Lamping: E26 base, 60 W max, G40 recommended  
Bulb not included  
Input voltage: 250 V AC max

Semigloss Black (CM-114) extended round canopy with SVT-3 Cable, Black (CM-039) and 1/16" Stainless Steel Cables (CM-053)

Canopy dimensions: 5" Ø, 2"  
See website for more canopy information  
Field adjustable drop length: 1'0" min - 8'0" max  
Wood grain will vary  
Specifications subject to change  
Suitable for dry or damp locations



### MATERIAL & FINISH OPTIONS

Amicus 21 part # 06-290-21-

#### Metal Shade

brushed brass (CM-047)  
distressed brass (CM-096)  
brushed aluminum (CM-012)  
brushed rose gold (CM-046)  
black powder coat (CM-049)  
white powder coat (CM-060)

#### Wood Top

walnut (CM-001)  
dark stained walnut (CM-002)  
white washed oak (CM-095)

#### Lamping\*

2700 K LED  
3500 K LED  
medium base E26 socket

#### Power Option (LED version only)

120-277 V AC input voltage  
TRIAC and ELV dimmable

\*Available in 3000K, 4000K and other color temperatures upon request



brushed brass (CM-047)



distressed brass (CM-096)



brushed aluminum (CM-012)



brushed rose gold (CM-046)



walnut (CM-001)



dark stained walnut (CM-002)



white washed oak (CM-095)

