KOORD

Design. **Eloy Puig**

KD.006 / TUS.KD.006

Typology: Floor lamp / Pie

Description / *Descripción*

Floor lamp.
Lampshade with braided acrylic cord, available in diferent colours.
Metal base

Lámpara de pie con pantalla en cordón trenzado acrílico, disponible en varios colores.
Base en metal





Electrical characteristics
Características eléctricas

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

KD.006.14 A+ LED 15W 230V 2700K 1200lm *Dimmable TRIAC*

USA version

TUS.KD.006.14 LED 15W 120V 2700K 1200lm *Dimmable TRIAC*

LED module included / módulo LED incluido

Packaging
Embalaje

2 box

43x43x150 cm / 0,27 m³
15"x17"x59" / 9,5 ft³

32x32x25 cm / 0,02 m³
12"x12"x9" / 0,7 ft³

Peso neto: 11 Kg
Net weight: 25 lb

Peso bruto: 14 Kg
Gross weight: 31 lb

Materials and finish
Materiales y acabados

Lampshade *Pantalla*	**Braided cord** *Cordón trenzado*
Base *Base*	**Black metal** *Metal negro*
Electrical cable *Cable electrico*	**Foot switch. Black** *Interruptor de pie. Transparente*

Certifications: CE **IP20** 650°

USA Certifications: Intertek 4006546

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

KOORD

Design. **Eloy Puig**

eltorrent

Outdoor

KD.106 / TUS.KD.106

Typology: Floor lamp / Pie

Description / *Descripción*

- Outdoor floor lamp. IP65
- Polypropylene cord lampshade with UV-treated in different colors.
- White polymer concrete base.
- Led lighting system. Triac dimming

- *Modelo de pie para exterior. IP65*
- *Pantalla en cordón de polipropielno, con tratamiento UVA. Disponible en varios colores.*
- *Base de hormigón polímero blanco.*
- *Sistema de iluminación LED. Regulable por triac.*



Electrical characteristics
Características eléctricas

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

KD.106.14	A+	LED 15W 230V 2700K 1200lm

USA version

TUS.KD.106.14		LED 15W 120V 2700K 1200lm *Dimmable TRIAC*

LED module included / módulo LED incluido

Packaging
Embalaje

2 boxes

32x32x25 cm 45x45x155 cm	0,34 m³
12"x12"x10" *18"x18"x59"*	*12 ft³*

Net weight: 33 lb
Peso neto: 15 Kg

Gross weight: 40 lb
Peso bruto: 18 Kg

Materials and finish
Materiales y acabados

Lampshade *Pantalla*	**Braided cord** *Cordón trenzado*
	Ask for available colors *Consultar colores disponibles*
Base *Base*	**White polymer concrete** *Hormigón polímero blanco*
Electrical cable *Cable eléctrico*	**Black cable 3m + Schuko plug** *Cable negro 3m + enchufe schuko*

Certifications:

CE **IP65**

650°

USA Certifications:

Intertek 4006546

Wet Location

Suitable for outdoor use / Apta para uso exterior

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

KOORD

Design. **Eloy Puig**

Typology: Floor lamp / Pie

Description / *Descripción*

Indoor floor lamp.

Polypropylene cord lampshade. Available in different colours.

Metal base and structure.

Led lighting system.

Modelo de pie para interior.

Pantalla en cordón de polipropileno. Disponible en varios colores.

Estructura y base metálica.

Sistema de iluminación LED.



Electrical characteristics
Características eléctricas

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

KD.017.14 A+ — LED 8W 230V 2700K 630lm ***Dimmable TRIAC***

USA version

TUS.KD.017.14 — LED 10W 120V 2700K 880lm ***Dimmable TRIAC***

LED module included / módulo LED incluido

Packaging
Embalaje

1 box

42x42x100 cm / 0,18 m³
17"x17"x40" / 6,35 ft³

Peso neto: 7 Kg
Net weight: 15,5 lb

Peso bruto: 10 Kg
Gross weight: 22 lb

Materials and finish
Materiales y acabados

Lampshade *Pantalla*	**Braided cord** *Cordón trenzado*
	Ask for available colors *Consultar colores disponibles*
Base *Base*	**Black metal** *Metal negro*
Electrical cable *Cable electrico*	**Foot switch. Black** *Interruptor de pie. Transparente*

Certifications: CE **IP20** 650°

USA Certifications: Intertek 4006546

Light for indoor use only / Luminaria solo para uso interior

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

KOORD

Design. **Eloy Puig**

Outdoor

Typology: Floor lamp / Pie

Description / *Descripción*

Outdoor floor lamp. IP66

Polypropylene cord lampshade with UV-treated. Available in different colours.

Metal base and structure.

Led lighting system. TRIAC dimming.

Modelo de pie para exterior. IP66

Pantalla en cordón de polipropileno, con tratamiento UV. Disponible en varios colores.

Estructura y base metálica.

Sistema de iluminación LED.

Permite regulación por TRIAC



Electrical characteristics
Características eléctricas

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

KD.117.14 A+ LED 8W 230V 2700K 630lm
Dimmable TRIAC

USA version

TUS.KD.117.14 LED 10W 120V 2700K 880lm
Dimmable TRIAC

LED module included / módulo LED incluido

Packaging
Embalaje

1 box

42x42x100 cm / 0,18 m³
17"x17"x40" / 6,35 ft³

Peso neto: 7 Kg
Net weight: 15,5 lb

Peso bruto: 10 Kg
Gross weight: 22 lb

Materials and finish
Materiales y acabados

Lampshade *Pantalla*	**Braided cord** *Cordón trenzado*
	Ask for available colors *Consultar colores disponibles*
Base *Base*	**Black metal** *Metal negro*
Electrical cable *Cable eléctrico*	**Black cable 3m + Schuko plug** *Cable negro 3m + enchufe schuko*

Certifications: CE **IP66** 650°

USA Certifications: Intertek 4006546 **Wet Location**

Suitable for outdoor use / Apta para uso exterior

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

Outdoor colors
Colores para exterior

Acrylic cord UV- treated

Cordón acrílico con tratamiento UV

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

KLA

KMZ

KLT

KAT

KMU

KCI

KTN

KMR

KGN

KBL

KAO

KAM

KBK

KGR

KRB

KST

KIT

KCR

KOL

KAR

BLANCO
White

NIEBLA
427 C

ENEA
428 C

PLOMO
7542 C

DELFÍN
430 C

MARENGO
Cool
Gray
10 C

VULCANO
438 C

OPALE
402 C

ALUMINIO
7537 C

ALPACA
429 C

ORO
402 C

DORADO
7537 C

GOLDEN
429 C

PAJA
Cool
Gray
7 C

NÉCTAR
5425 C

CALABAZA
158 C

NARANJA
164 C

ROJO
186 C

Fuego
185 C

GRANATE
1955 C

CLARETE
209 C

OPORTO
195 C

BURDEOS
188 C

CONAC
1817 C

CAMELLO
731 C

CUERO
7531 C

ARENA
465 C

ASTRACAN
7529 C

TORTOLA
8021 C

AZULINA
291 C

BLAVINA
2915 C

AZÚL ELÉCTRICO
2945 C

AZÚL ROYAL
288 C

MEDAS
295 C

OCÉANO
294 C

TEJANO
3015 C

TURQUESA
311 C

LAGO
324 C

JADE
3268 C

ESMERALDA
3295 C

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com

VERDE OSCURO
3298 C

JUNGLA
356 C

VERDE BILLAR
340 C

CIRUELA
368 C

LIMA
359 C

CITRÓN
360 C

MORADO
276 C

VIOLETA
7676 C

AMORATADO
265 C

MALVA
2567 C

HELIO
256 C

LILA
2572 C

UVA
258 C

CARTAGENA
262 C

ESPACIO
436 C

PLATINO
664 C

ROSA PASTEL
1905 C

ROSAE
211 C

PESCA
218 C

FUCSIA
212 C

CICLAMOR
205 C

PÚRPURA
215 C

VINOSO
5115 C

FRESILLA
695 C

ALEJANDRÍA
196 C

LAPIZLÁZULI
2745 C

BÁLTICO
2766 C

ÍRIS
5275 C

SHARK
2715 C

ESCARCHA
2707 C

CANET
2717 C

ÍNDIGO
653 C

MARINO
289 C

PACIFIC
2767 C

NOCTURNO
7547 C

VERDUSCO
5605 C

ALGA
5615 C

PISTACHO
112 C

BEIGE
1265 C

LIMÓN
100 C

CANARIO
106 C

MIMOSA
108 C

YEMA
145 C

TEJA
153 C

ROJIZO
1815 C

CASTAÑO
4625 C

TABACO
1545 C

MARRÓN SÚPER BLACK
4 C

CAFÉ
412 C

MADERA
7519 C

DROMEDARIO
7504 C

AVELLANA
729 C

PARDO
727 C

MARFIL
7506 C

HUESO
7507 C

CRUDO
7401 C

Natural linen cord
Cuerda natural de lino

KNL

illuminations
597 Cooledge Ave NE, Atlanta, GA 30306
404.876.1064 sales@illumco.com