

FLOS

Copycat, Gold - Specification Sheet by Michael Anastassiades, 2015

| | |
|-----------------------------------|---|
| Mounting | Table Top |
| Lamp (Bulb) Description | 1 x COB LED 2700K 1380lm CRI83 16W |
| Environment | Indoor - Dry Location |
| Finish | 24K Gold |
| Technical and Product Description | <p>COPYCAT table lighting fixture comprising an aluminum sphere machined from solid and then gold-coated with 24K gold. Hand-blown glass opal diffuser. LED light source with dimmer switch on the power cable.</p> <p>"Two spheres just touch each other. One small, in a precious material, placed under the 'shadow' of the large one, in illuminated glass." - M. Anastassiades</p> |

Electrical

| | |
|-----------|----------------------------------|
| Voltage | 100-240V |
| Switching | Dimmer switch on the power cable |
| IP Rating | IP20 |


Physical

| | |
|-----------------------|--|
| Cord Length (inches) | 6.56' - Black |
| Construction Material | Aluminum, hand-blown glass, electroplated 24K gold |
| Weight | 8 lbs |



F1952044 24K Gold

Dimensional Image



Certifications



FLOS

Copycat, Black - Specification Sheet by Michael Anastassiades, 2015

| | |
|-----------------------------------|--|
| Mounting | Table Top |
| Lamp (Bulb) Description | 1 x COB LED 2700K 1380lm CRI83 16W |
| Environment | Indoor - Dry Location |
| Finish | Black |
| Technical and Product Description | COPYCAT table lighting fixture comprising of an aluminum sphere machined from solid metal. Hand-blown glass opal diffuser. LED light source with dimmer switch on the power cable. "Two spheres just touch each other. One small, in a precious material, placed under the 'shadow' of the large one, in illuminated glass." - M. Anastassiades |

Electrical

| | |
|-----------|----------------------------------|
| Voltage | 100-240V |
| Switching | Dimmer switch on the power cable |
| IP Rating | IP20 |


Physical

| | |
|-----------------------|----------------------------|
| Cord Length (inches) | 6.56' - Black |
| Construction Material | Aluminum, hand-blown glass |
| Weight | 8 lbs |



● F1952030 Black

Dimensional Image



Certifications



FLOS

Copycat, Copper - Specification Sheet by Michael Anastassiades, 2015

| | |
|-----------------------------------|--|
| Mounting | Table Top |
| Lamp (Bulb) Description | 1 x COB LED 2700K 1380lm CRI83 16W |
| Environment | Indoor - Dry Location |
| Finish | Copper |
| Technical and Product Description | COPYCAT table lighting fixture comprising of an aluminum sphere machined from solid metal. Hand-blown glass opal diffuser. LED light source with dimmer switch on the power cable. "Two spheres just touch each other. One small, in a precious material, placed under the 'shadow' of the large one, in illuminated glass." - M. Anastassiades |

Electrical

| | |
|-----------|----------------------------------|
| Voltage | 100-240V |
| Switching | Dimmer switch on the power cable |
| IP Rating | IP20 |


Physical

| | |
|-----------------------|----------------------------|
| Cord Length (inches) | 6.56' - Black |
| Construction Material | Aluminum, hand blown glass |
| Weight | 8 lbs |



F1952015 Copper

Dimensional Image



Certifications



FLOS

Copycat, Aluminum - Specification Sheet by Michael Anastassiades, 2015

| | |
|-----------------------------------|--|
| Mounting | Table Top |
| Lamp (Bulb) Description | 1 x COB LED 2700K 1380lm CRI83 16W |
| Environment | Indoor - Dry Location |
| Finish | Polished Aluminum |
| Technical and Product Description | COPYCAT table lighting fixture comprising of an aluminum sphere machined from solid metal. Hand-blown glass opal diffuser. LED light source with dimmer switch on the power cable. "Two spheres just touch each other. One small, in a precious material, placed under the 'shadow' of the large one, in illuminated glass." - M. Anastassiades |

Electrical

| | |
|-----------|----------------------------------|
| Voltage | 100-240V |
| Switching | Dimmer switch on the power cable |
| IP Rating | IP20 |


Physical

| | |
|-----------------------|----------------------------|
| Cord Length (inches) | 6.56' - Black |
| Construction Material | Aluminum, hand-blown glass |
| Weight | 8 lbs |



● F1952050 Polished Aluminum

Dimensional Image



Certifications

