



LAURENT 17





Type	Suspension	
Materials	Sphere:	handblown opaline glass
	Frame:	polished brass or powder coated aluminum or nickel plated steel
	Hardware:	polished brass or powder coated aluminium
	Wire:	nylon
Total Height	Height to be specified upon order	
Weight	Starts at 55 lb / 25 kg	
Light Bulb	LED (included), 13 x 4.5W	
Sockets	G9	
Voltage	120V / 240V	
Dimmer	Refer to our recommended list of dimmer models	
Certifications		
Notes	<ul style="list-style-type: none"> • Must be installed by an electrician; • Additional charges for modifications; • Lead time between 7-9 weeks • Dimensions are approximate and may vary slightly 	




Order Guide: SKU

COLLECTION	MODEL	COLOUR (frame + wire system)	CANOPY
LRT Laurent	17	BLBL Black + Black BRBL Brass + Black BRGD Brass + Gold CHBL Chrome + Black CHBE Chrome + Blue BEBL Blue + Black BEBE Blue + Blue BUBL Burgundy + Black BUSA Burgundy + Sand BUBU Burgundy + Burgundy TUBL Turquoise + Black TUSA Turquoise + Sand	BL Black
LRT	17	BLBL	BL




= LRT17BLBLBL
example

FRAME COLOUR



MOUNTING COLOUR sphere holder & wires




CANOPY COLOR custom color available on demand



LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS



Frosted
4.5W
100V-120V / 240V
450 Lumens
2700 K
25 000 H
CRI ≥80
2 years warranty



DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

*Other dimmers can yield good results and we recommend conducting your own test before final installation.