


Guijarro / SMALL WALL, CEILING
by Mariví Calvo



REF. G6 A 24, G5 A 28, G5 A 26 & G2 A 25
Guijarro Large, Medium, Medium & Small



References



G2 A GU24 UL
G2 A GX53 UL

Awards



Hamburg 2007

Certificates



120V

ADA Compliant



The mark of responsible forestry


Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
29 x 9 x 17"

Box volume
0,9 ft³

Weight
Gross - 2,9 Lb
Net - 1,3 Lb

Recommended bulbs (Included)



120V
GU24



CFL Slim spiral
1 x 13 W max



120V
GX53



LED Slim lamp
1 x 6 W max



References



G2 A LED DIM UL

Awards



Hamburg 2007

Certificates



120 - 277V

ADA Compliant



The mark of responsible forestry


Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
29 x 9 x 17"

Box volume
0,9 ft³

Weight
Gross - 2,9 Lb
Net - 1,3 Lb



Linear Module
4 x 3,15 W 250mA
2700 K / 4000 K
(Be sure to specify the LED color temperature)



Driver



EFORE
1 unit - Ref. RCL010-0250A

Compatible with TRIAC / ELV (only 120V) and 0-10V (120-277V)


Details

Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	12 W	2700 K	734 lm	90	40000h
		4000 K	836 lm		

* Measurements taken using white shades, Veneer Ref: 20 Ivory White



REF. G42 A LED 26, G5 A LED 29 & G2 A LED 24
Guijarro Large, Medium & Small





REF. G5 A 29
Guijarro Medium

References



G5 A GU24 UL
G5 A GX53 UL

Awards



Hamburg 2007

Certificates



120V

ADA Compliant




Wood shade colors

-  20 Ivory White
-  21 Natural Cherry
-  22 Natural Beech
-  24 Yellow
-  25 Orange
-  26 Red
-  28 Blue
-  29 Grey
-  30 Turquoise
-  31 Chocolate
-  32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel


Packaging



Box size
17 x 12 x 11"

Box volume
1,4 ft³

Weight
Gross - 4,9 Lb
Net - 2 Lb



Recommended bulbs (Included)



120V
GU24



CFL Slim spiral
1 x 13 W max



120V
GX53



LED Slim lamp
1 x 6 W max



References



G5 A LED DIM UL

Certificates



120 - 277V

ADA Compliant



Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel

Packaging




Box size
17 x 12 x 11"

Box volume
1,4 ft³

Weight
Gross - 5,1 Lb
Net - 2,2 Lb



REF. G5 A LED 28
Guijarro Medium



Linear Module
9 x 3,15 W 250mA
2700 K / 4000 K (Be sure to specify the LED color temperature)



EFORE
1 unit - Ref. RCL020-0500A

Compatible with TRIAC / ELV (only 120V)
and 0-10V (120-277V)

Details


Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	17 W	2700 K	1102 lm	90	40000h
		4000 K	1254 lm		

* Measurements taken using white shades, Veneer Ref: 20 Ivory White

Guijarro / LARGE WALL, CEILING
by Mariví Calvo



REF. G6 A 21, G5 A 29 & G2 A 24
Guijarro Large, Medium & Small



References



G6 A GU24 UL
G6 A GX53 UL

Awards



Hamburg 2007

Certificates



120V

ADA Compliant




Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components



Frontal diffuser
Matt satin acrylic



Back plate
White metal enamel



Box size
20 x 20 x 13"

Box volume
2,9 ft³

Weight
Gross - 8,6 Lb
Net - 3,3 Lb

Recommended bulbs (Included)



120V
GU24



CFL Slim spiral
1 x 13 W max



120V
GX53



LED Slim lamp
1 x 6 W max



References Certificates Wood shade colors



G6 A LED DIM UL



120 - 277V

ADA Compliant



- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink




REF. G6 A LED 26, G5 A LED 21, G2 A LED 22 & G5 A LED 26
Guijarro Large, Medium, Small & Medium

Components Packaging



Frontal diffuser
Matt satin acrylic




Back plate
White metal enamel



Box size
20 x 20 x 13"

Box volume
2,9 ft³

Weight
Gross - 8,6 Lb
Net - 3,3 Lb



Linear Module
16 x 3,15 W 250mA (Be sure to specify the
2700 K / 4000 K LED color temperature)



Driver



EFORE
1 unit - Ref. RCL030-0500A

Compatible with TRIAC / ELV (only 120V)
and 0-10V (120-277V)

Details

Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	20 W	2700 K	1469 lm	90	40000h
		4000 K	1672 lm		

* Measurements taken using white shades, Veneer Ref: 20 Ivory White