



SMALL SUSPENSION / **Link Chain 3**  
by Ray Power & Marivi Calvo

References

LK3 S E26 UL  
LK3 S GU24 UL

Certificates

**UL** US  
120 - 277V



Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Awards



Chicago 2008

DESIGN **PLUS**  
Frankfurt 2007



REF. LK3 S 20  
Link Chain Small

Components



**Metal canopy**  
Brushed Nickel  
ø 5,5" - disc ø 7,9"

**Electrical cable**  
Transparent  
8 ft drop

**Steel cable**  
3 x 8 ft drop



**Box size**  
34 x 34 x 63"  
Wood crated  
for transport

**Box volume**  
41,8 ft<sup>3</sup>

**Weight**  
Gross - 59,1 Lb  
Net - 10,4 Lb

Recommended bulbs (Not included)



**E26 Medium Base**



**CFL Globe**  
3 x 26 W max



**LED Globe**  
3 x 15 W max





**GU24**



**CFL Globe**  
3 x 26 W max



**LED A19**  
3 x 15 W max





**Link Chain 4** / MEDIUM SUSPENSION

by Ray Power & Mariví Calvo



REF. LK4 S 20  
Link Chain Medium



References



LK4 S E26 UL  
LK4 S GU24 UL

Awards



Chicago 2008

DESIGN PLUS  
Frankfurt 2007

Certificates



120 - 277V



Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink


Components



**Metal canopy**  
Brushed Nickel  
ø 5,5" - disc ø 7,9"

**Electrical cable**  
Transparent  
8 ft drop

**Steel cable**  
3 x 8 ft drop



**Box size**  
34 x 34 x 63"  
Wood crated  
for transport

**Box volume**  
41,8 ft<sup>3</sup>

**Weight**  
Gross - 61,7 Lb  
Net - 13 Lb

Recommended bulbs (Not Included)



**E26** Medium Base



**CFL Globe**  
4 x 26 W max



**LED Globe**  
4 x 15 W max



**GU24**



**CFL Globe**  
4 x 26 W max




**LED A19**  
4 x 15 W max



LONG SUSPENSION / **Link Chain 6**  
by Ray Power & Marivi Calvo

References

 **LK6 S E26 UL**  
**LK6 S GU24 UL**

Awards


 **GOOD DESIGN**  
Chicago 2008

**DESIGN PLUS**  
Frankfurt 2007

Certificates



120 - 277V



Wood shade colors

-  20 Ivory White
-  21 Natural Cherry
-  22 Natural Beech
-  24 Yellow
-  25 Orange
-  26 Red
-  28 Blue
-  29 Grey
-  30 Turquoise
-  31 Chocolate
-  32 Pink



REF. LK4 S, LK5 S & LK6 S 29  
Link Chain 4,5 - Medium & Link Chain 6 - Long

Components

 **Metal canopy**  
Brushed Nickel  
ø 5,5" - disc ø 7,9"

**Electrical cable**  
Transparent  
8 ft drop

**Steel cable**  
3 x 8 ft drop

Packaging





**Box size**  
35 x 35 x 83"  
Wood crated  
for transport

**Box volume**  
57,4 ft<sup>3</sup>

**Weight**  
Gross - 71,2 Lb  
Net - 18,3 Lb

Recommended bulbs (Not Included)

 **E26 Medium Base**



 **CFL Globe**  
6 x 26 W max

 **LED Globe**  
6 x 15 W max

 **GU24**

 **CFL Globe**  
6 x 26 W max


 **LED A19**  
6 x 15 W max



**Link Modular** / CUSTOM LENGTH  
by Ray Power & Mariví Calvo



REF. LK MOD6 BASE 20 & LK MOD1 EXT 20  
Link Modular



References



- LK MOD6 TOP E26 UL
- LK MOD1 EXT E26 UL
- LK MOD3 EXT E26 UL
- LK MOD4 EXT E26 UL
- LK MOD6 EXT E26 UL

- LK MOD6 TOP GU24 UL
- LK MOD1 EXT GU24 UL
- LK MOD3 EXT GU24 UL
- LK MOD4 EXT GU24 UL
- LK MOD6 EXT GU24 UL

LK MOD6 TOP is the module used to start building your columns from the ceiling down. Other extension modules can be added to the TOP module to create your custom length. These are called extension (EXT.) modules.

Certificates



120 or 277V

Fixtures are certified up to 277V\*



\*120V or 277V operation is based on lamps used.

Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Awards

DESIGN PLUS  
Frankfurt 2007

Components



**Metal canopy (Top module)**  
Brushed Nickel  
ø 5,5" - disc ø 7,9"

**Electrical cable**  
Transparent  
8 ft drop

**Steel cable**  
3 x 8 ft drop



**Box size**

- LK MOD1  
31 x 31 x 17" - 9,3 ft<sup>3</sup>
- LK MOD3 \*
- LK MOD4 \*
- 34 x 34 x 63" - 41,8 ft<sup>3</sup>
- LK MOD6 \*
- LK MOD TOP \*
- 35 x 35 x 83" - 57,4 ft<sup>3</sup>

\* Wood crated for transport



**Weight**

- LK MOD1  
Gross - 13,4 Lb | Net - 2,4 Lb
- LK MOD3  
Gross - 56,9 Lb | Net - 8,2 Lb
- LK MOD4  
Gross - 59,5 Lb | Net - 10,8 Lb
- LK MOD6  
Gross - 69 Lb | Net - 16,1 Lb
- LK MOD TOP  
Gross - 71,4 Lb | Net - 18,5 Lb

Recommended bulbs (Not Included)



120V  
E26 Medium Base



CFL Globe  
No.MOD x 26 W max



LED Globe  
No.MOD x 15 W max



120V  
GU24



CFL Globe  
No.MOD x 26 W max



LED A19  
No.MOD x 15 W max



277V  
GU24



LED A19  
No.MOD x 15 W max



277V  
GX24q-2



CFL Triple tube  
No.MOD x 18 W max