

IN THE WIND FLOOR

Arihiro Miyake

Floor lamp for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum.

Diffusers are in opal metacrylate. The lamp is available in matt white, matt black, titan grey or matt gold. Switch and dimmer on the cable.



LED

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable
Tension	120V
Color temperature	3000K
Luminous flux	2850lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	10.2" x 10.2" x 72"
Materials	aluminum + pc
Notes	cable length 6.6', dimmer on cable
Accessories	Lipari ring,
Net lamp weight	16,5 lbs

Codes

ITW LWW 21
ITW LNW 21
ITW LGW 21
ITW LDW 21


Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 Dimension: 11.8" x 12.6" x 4.7" inches / Net weight: 13,5 lbs
Package 02 Dimension: 11" x 11" x 76.8" inches / Gross weight: 12,1 lbs

Certificazioni



LED

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimmable
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	10.2" x 10.2" x 72"
Materials	aluminum + pc
Notes	cable length 6.6', dimmer on cable
Accessories	Lipari ring,
Net lamp weight	16,5 lbs

Codes

ITW LWW 22
ITW LNW 22
ITW LGW 22
ITW LDW 22

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 Dimension: 11.8" x 12.6" x 4.7" inches / Net weight: 13,5 lbs
Package 02 Dimension: 11" x 11" x 76.8" inches / Gross weight: 12,1 lbs

Certificazioni

