

KEPLER

Arihiro Miyake

Pendant lamp available in two sizes Kepler or Kepler Minor. The structure is a painted aluminum extrusion, whose continuous line is made through a three-dimensional machining process engineered by Nemo and designed on the basis of the geometric principle of the Moebius strip. Available in the uplight or downlight version, in matt white, black or gold painted finishes.



DOWNLIGHT

LAMPING

Source	LINEAR LED
Total power	86W
Emission	DIRECT
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4500lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	Ø 43.3" x 15.7" H
Materials	aluminum + pc
Notes	cable length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEP LNN 54
KEPLWW54
KEP LOW 54


Structure/Diffuser

black/white
white/white
gold painted/white

PACKAGE

Package 01
Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



DOWNLIGHT

LAMPING

Source	LINEAR LED
Total power	86W
Emission	DIRECT
Switching	dimmable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4500lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	Ø 43.3" x 15.7" H
Materials	aluminum + pc
Notes	cable length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEP LNN 52
KEPLWW52
KEP LOW 52


Structure/Diffuser

black/white
white/white
gold painted/white

PACKAGE

Package 01
Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



UPLIGHT

LAMPING

Source	LINEAR LED
Total power	86W
Emission	INDIRECT
Switching	dimmable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4500lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	Ø 43.3" x 15.7" H
Materials	aluminum + pc
Notes	cabl length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEP LNN 53
KEPLWW53
KEP LOW 53


Structure/Diffuser

black/white
white/white
gold painted/white

PACKAGE

Package 01
Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



UPLIGHT

LAMPING

Source	LINEAR LED
Total power	86W
Emission	INDIRECT
Switching	dimmable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4500lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	Ø 43.3" x 15.7" H
Materials	aluminum + pc
Notes	cable length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEP LNN 51
KEPLWW51
KEP LOW 51


Structure/Diffuser

black/white
white/white
gold painted/white

PACKAGE

Package 01
Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



DOWNLIGHT

LAMPING

Source	LINEAR LED
Total power	77W
Emission	DIRECT
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Materials	aluminum + pc
Notes	cabl length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEM LNN 54
KEM LWW54
KEM LOW 54

Structure/Diffuser


black/white
white/white
gold painted/white

PACKAGE

Package 01

Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



DOWNLIGHT

LAMPING

Source	LINEAR LED
Total power	77W
Emission	DIRECT
Switching	dimnable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Materials	aluminum + pc
Notes	cable length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEM LNN 52
KEM LWW52
KEM LOW 52

Structure/Diffuser


black/white
white/white
gold painted/white

PACKAGE

Package 01

Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



UPLIGHT

LAMPING

Source	LINEAR LED
Total power	77W
Emission	INDIRECT
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Materials	aluminum + pc
Notes	cabl length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEM LNN 53
KEM LWW53
KEM LOW 53

Structure/Diffuser


black/white
white/white
gold painted/white

PACKAGE

Package 01

Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



UPLIGHT

LAMPING

Source	LINEAR LED
Total power	77W
Emission	INDIRECT
Switching	dimmable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Materials	aluminum + pc
Notes	cabl length 8.2'
Accessories	Lipari ring,
Net lamp weight	19,8 lbs

Codes

KEM LNN 51
KEM LWW51
KEM LOW 51

Structure/Diffuser


black/white
white/white
gold painted/white

PACKAGE

Package 01

Dimension: 47.6" x 47.6" x 20.5" inches / Gross weight:
41,9 lbs

Certificazioni



KEPLER MINOR

Arihiro Miyake

Small version of the Kepler. Suspension lamp in extruded aluminum powder coated. Available in uplight and down light versions in white, black and the new gold finish. The continuous line is made through a three-dimensional process of extruded aluminum, designed based on the geometric principle of the Moebius strip.



DOWNLIGHT | 2700K

LAMPING

Source	Linear LED
Total power	77W
Emission	diffused downlight
Switching	dimmable 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	33 x 33 x 13.7
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max; DALI version on request

Codes

KEM LWW 54
KEM LNN 54
KEM LOW 54


Structure

white
black
gold painted

PACKAGE

Package 01
Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs

Certificazioni



DOWNLIGHT | 3000K

LAMPING

Source	Linear LED
Total power	77W
Emission	diffused downlight
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	33 x 33 x 13.7
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max; DALI version on request

Codes

KEM LWW 52
KEM LNN 52
KEM LOW 52

Structure


white
black
gold painted

PACKAGE

Package 01

Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs

Certificazioni



UPLIGHT | 2700K

LAMPING

Source	Linear LED
Total power	77W
Emission	diffused uplight
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	33 x 33 x 13.7
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max; DALI version on request

Codes

KEM LWW 53
KEM LNN 53
KEM LOW 53


Structure

white
black
gold painted

PACKAGE

Package 01
Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs

Certificazioni



UPLIGHT | 3000K

LAMPING

Source	Linear LED
Total power	77W
Emission	diffused uplight
Switching	dimmable 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	4000lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	33 x 33 x 13.7
Materials	Aluminum + PC
Notes	adjustable cable length 8.2' max; DALI version on request

Codes

KEM LWW 51
KEM LNN 51
KEM LOW 51

Structure

white
black
gold painted

PACKAGE

Package 01
Dimension: 35.4 x 35.4 x 17.7 inches / Gross weight: 24.3 lbs

Certificazioni

