

GENESIS 11206-16

Base Specifications:

16" dia x 6.5" d x 14" - 96" adj OAH
 10: WRL - 2 x E26 - for LED retro 20W max ea
 Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

11206-16	-		-		-		-	
MODEL		FINISH		DIFFUSER		LAMPING		VOLTAGE

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron

OA - Opal

PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

03: Damp / Dry Loc Incan
 04: Dry Loc Integrated LED
 (Non-Dim or Dim w/ 0-10V Dim system)
 1540 Lumens

03: 120V
 04: Universal


COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name
Specifier Location

Quantity



GENESIS 11206-24

Base Specifications:

24" dia x 6.5" d x 14" - 96" adj OAH
 10: WRL - 4 x E26 - for LED retro 20W max ea
 Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

11206-24				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron

OA - Opal
 PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red


03: Damp / Dry Loc Incan
 04: Dry Loc Integrated LED
 (Non-Dim or Dim w/ 0-10V Dim system)
 3850 Lumens

03: 120V
 04: Universal

COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name	Specifier Name Specifier Location	Quantity
--------------	--------------------------------------	----------



GENESIS 11206-36

Base Specifications:

36" dia x 6.5" d x 14" - 96" adj OAH

10: WRL - 8 x E26 - for LED retro 20W max ea

Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

11206-36				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron

OA - Opal
 PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

03: Damp / Dry Loc Incan
 04: Dry Loc Integrated LED
 (Non-Dim or Dim w/ 0-10V Dim system)
 6960 Lumens

03: 120V
 04: Universal

COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name	Specifier Name Specifier Location	Quantity
--------------	--------------------------------------	----------