

## STRATA 17369-24

### Base Specifications:

6" h x 24" l x 4" w x 22" - 96" adj OAH  
 04: LED - 15W (Dim w/ 0-10V dim system)  
 Opal Acrylic Diffuser

### Notes:

Stem or semi-flush mount available

17369-24				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

### Note of Modifications

DI - Dark Iron (Standard)

OA - Opal

04: LED - 15W  
 (Non-Dim or Dim w/ 0-10V Dim system)  
 2310 Lumens - 3000K Standard

04: Universal

- PREMIUM  
 CO - Caramel Onyx  
 FA - Faux Alabaster  
 TS - Tea Stained  
 WS - White Swirl  
 BB - Bay Blue  
 MP - Majestic Purple  
 SG - Savannah Green  
 SO - Sunrise Orange  
 SR - Sunset Red


### COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name  
Specifier Location

Quantity



## STRATA 17369-36

### Base Specifications:

6"h x 36"l x 5"w x 22" - 96"adj OAH  
 04: LED - 20W (Dim w/ 0-10V dim system)  
 Opal Acrylic Diffuser

### Notes:

Stem or semi-flush mount available

17369-36				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

### Note of Modifications

DI - Dark Iron (Standard)

OA - Opal

04: LED - 20W  
 (Non-Dim or Dim w/ 0-10V Dim system)  
 3080 Lumens - 3000K Standard

04: Universal

- PREMIUM  
 CO - Caramel Onyx  
 FA - Faux Alabaster  
 TS - Tea Stained  
 WS - White Swirl  
 BB - Bay Blue  
 MP - Majestic Purple  
 SG - Savannah Green  
 SO - Sunrise Orange  
 SR - Sunset Red


### COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name  
Specifier Location

Quantity



## STRATA 17369-48

### Base Specifications:

6\"/>

### Notes:

Stem or semi-flush mount available

17369-48				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

### Note of Modifications

DI - Dark Iron (Standard)

OA - Opal

04: LED - 25W  
(Non-Dim or Dim w/ 0-10V Dim system)  
3850 Lumens - 3000K Standard

04: Universal

PREMIUM  
CO - Caramel Onyx  
FA - Faux Alabaster  
TS - Tea Stained  
WS - White Swirl  
BB - Bay Blue  
MP - Majestic Purple  
SG - Savannah Green  
SO - Sunrise Orange  
SR - Sunset Red

### COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name  
Specifier Location

Quantity