

Warm

Design by Ramos & Bassols.

Reference

4925.

Application

Pendants

Installation type

Surface mounted

Description

WARM is a tapered drum pendant with an off-white screen mesh shade that is appealing, elegant and adaptable to any atmosphere. Designed by Ramos & Bassols, with frosted top and bottom diffusers.

Diffuser

Acrylic diffuser

Materials


Shade: Screen
Diffuser: Acrylic
Canopy: Steel

Finishes



4925-10 White (NCS S 0300-N)

Sketch



Electrical characteristics

4 x A-19 LED LAMP 120V 8W



Total 32.0 W

KETRA
R E A D Y

VIBIA



Driver included: 120V 60Hz

Installation and assembly

Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates




425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

Warm

Design by Ramos & Bassols.

Reference

4930.

Application

Pendants

Installation type

Surface mounted

Description

WARM is a tapered drum pendant with an off-white screen mesh shade that is appealing, elegant and adaptable to any atmosphere. Designed by Ramos & Bassols, with frosted top and bottom diffusers.

Diffuser

Acrylic diffuser

Materials


Shade: Screen
Diffuser: Acrylic
Canopy: Steel

Finishes



4930-10 White (NCS S 0300-N)

Sketch



Electrical characteristics

4 x A-19 LED LAMP 120V 8W



Total 32.0 W

KETRA
R E A D Y

VIBIA



Driver included: 120V 60Hz

Installation and assembly

Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates



Warm

Design by Ramos & Bassols.

Reference

4935.

Application

Pendants

Installation type

Surface mounted

Description

WARM is an oversized tapered drum pendant with an off-white screen mesh shade that is appealing, elegant and adaptable to any atmosphere. Designed by Ramos & Bassols, with frosted top and bottom diffusers.

Diffuser

Acrylic diffuser

Materials


Shade: Screen
Diffuser: Acrylic
Canopy: Steel

Finishes



4935-10 White (NCS S 0300-N)

Sketch



Electrical characteristics

5 x A-19 LED LAMP 120V 8W



Total 40.0 W

KETRA
R E A D Y

VIBIA



Driver included: 120V 60Hz


Installation and assembly

Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates



Warm

Design by Ramos & Bassols.

Reference

4926.

Application

Pendants

Installation type

Surface mounted

Description

WARM is a tapered drum pendant with an opaque aluminum shade that is warm, elegant, and adaptable to any atmosphere. Designed by Ramos & Bassols, it is available in four colors: white, beige, brown or green matte lacquer.

Diffuser

Acrylic diffuser

Materials

Shade: Aluminum

Diffuser: Acrylic

Canopy: Steel

Finishes


 **4926-10** White (NCS S 0300-N)

 **4926-25** Beige D1 (NCS S 4005-Y50R)

 **4926-28** Brown M1 (NCS S 4020-Y60R)

 **4926-56** Green D1 (NCS S 7010-G30Y)

Sketch



Electrical characteristics

4 x A-19 LED LAMP 120V 8W

Total 32.0 W



KETRA
R E A D Y

VIBIA



Driver included: 120V 60Hz


Installation and assembly

Please see the installation manual


Light distribution

General lighting - opaque shade

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.



Photometric data



Certificates

