


# PIPELINE CM4

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM4 combines Connecting Collars, Elbows and Linear Sections to form a rectangular loop, obliquely challenging the traditional typology of the chandelier.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

146 x 62 x 7.5cm / 57.5" x 24.5" x 3"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES

Black



Copper



Polish / Copper



White



Brass



Black / Copper



## ELECTRICAL

54W Linear Led

70 000 hrs lifetime

2700K / 4100K

91 CRI

120V input 60Hz (\*220V & 277V available upon request).

24V DC

Low Voltage Magnetic Driver

Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



	FINISH	TEMP.	CODE	
PIPELINE CM4	Black	WW / 2700K	PIP-CM4-P-WW-BK-024	<input type="checkbox"/>
	Black	NW / 4100K	PIP-CM4-P-NW-BK-024	<input type="checkbox"/>
	Copper	WW / 2700K	PIP-CM4-P-WW-CP-024	<input type="checkbox"/>
	Copper	NW / 4100K	PIP-CM4-P-NW-CP-024	<input type="checkbox"/>
	Polish / Copper	WW / 2700K	PIP-CM4-P-WW-PC-024	<input type="checkbox"/>
	Polish / Copper	NW / 4100K	PIP-CM4-P-NW-PC-024	<input type="checkbox"/>
	White	WW / 2700K	PIP-CM4-P-WW-WH-024	<input type="checkbox"/>
	White	NW / 4100K	PIP-CM4-P-NW-WH-024	<input type="checkbox"/>
	Brass	WW / 2700K	PIP-CM4-P-WW-BR-024	<input type="checkbox"/>
	Brass	NW / 4100K	PIP-CM4-P-NW-BR-024	<input type="checkbox"/>
	Black / Copper	WW / 2700K	PIP-CM4-P-WW-BC-024	<input type="checkbox"/>
	Black / Copper	NW / 4100K	PIP-CM4-P-NW-BC-024	<input type="checkbox"/>



**illuminations**


425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305

404.876.1064

sales@illumco.com

# PIPELINE CM6

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM6 combines Connecting Collars, Elbows and Linear Sections to form a rectangular loop, obliquely challenging the traditional typology of the chandelier.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

146.3 x 26.1 x 7.5cm / 57.6" x 10.3" x 3"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES

Black



'BK'

White



'WH'

Copper



'CP'

Brass



'BR'

Polish / Copper



'PC'

Black / Copper



'BC'

## ELECTRICAL

42W Linear Led

70 000 hrs lifetime

2700K / 4100K

91 CRI

120V input 60Hz (\*220V & 277V available upon request).

24V DC

Low Voltage Magnetic Driver

Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



PIPELINE CM6

FINISH	TEMP.	CODE	
Black	WW / 2700K	PIP-CM6-P-WW-BK-024	<input type="checkbox"/>
Black	NW / 4100K	PIP-CM6-P-NW-BK-024	<input type="checkbox"/>
Copper	WW / 2700K	PIP-CM6-P-WW-CP-024	<input type="checkbox"/>
Copper	NW / 4100K	PIP-CM6-P-NW-CP-024	<input type="checkbox"/>
Polish / Copper	WW / 2700K	PIP-CM6-P-WW-PC-024	<input type="checkbox"/>
Polish / Copper	NW / 4100K	PIP-CM6-P-NW-PC-024	<input type="checkbox"/>
White	WW / 2700K	PIP-CM6-P-WW-WH-024	<input type="checkbox"/>
White	NW / 4100K	PIP-CM6-P-NW-WH-024	<input type="checkbox"/>
Brass	WW / 2700K	PIP-CM6-P-WW-BR-024	<input type="checkbox"/>
Brass	NW / 4100K	PIP-CM6-P-NW-BR-024	<input type="checkbox"/>
Black / Copper	WW / 2700K	PIP-CM6-P-WW-BC-024	<input type="checkbox"/>
Black / Copper	NW / 4100K	PIP-CM6-P-NW-BC-024	<input type="checkbox"/>




**illuminations**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com

# PIPELINE CM7

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM7 combines Connecting Colars, Elbows and Linear Sections to form a rectangular loop, obliquely challenging the traditional typology of the chandelier.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

267 x 26 x 7.5cm / 105" x 10.25" x 3"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES

Black



'BK'

White



'WH'

Copper



'CP'

Brass



'BR'

Polish / Copper



'PC'

Black / Copper



'BC'

## ELECTRICAL

84W Linear Led

70 000 hrs lifetime

2700K / 4100K

91 CRI

120V input 60Hz (\*220V & 277V available upon request).

24V DC

Low Voltage Magnetic Driver

Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



PIPELINE CM7

FINISH	TEMP.	CODE	
Black	WW / 2700K	PIP-CM7-P-WW-BK-024	<input type="checkbox"/>
Black	NW / 4100K	PIP-CM7-P-NW-BK-024	<input type="checkbox"/>
Copper	WW / 2700K	PIP-CM7-P-WW-CP-024	<input type="checkbox"/>
Copper	NW / 4100K	PIP-CM7-P-NW-CP-024	<input type="checkbox"/>
Polish / Copper	WW / 2700K	PIP-CM7-P-WW-PC-024	<input type="checkbox"/>
Polish / Copper	NW / 4100K	PIP-CM7-P-NW-PC-024	<input type="checkbox"/>
White	WW / 2700K	PIP-CM7-P-WW-WH-024	<input type="checkbox"/>
White	NW / 4100K	PIP-CM7-P-NW-WH-024	<input type="checkbox"/>
Brass	WW / 2700K	PIP-CM7-P-WW-BR-024	<input type="checkbox"/>
Brass	NW / 4100K	PIP-CM7-P-NW-BR-024	<input type="checkbox"/>
Black / Copper	WW / 2700K	PIP-CM7-P-WW-BC-024	<input type="checkbox"/>
Black / Copper	NW / 4100K	PIP-CM7-P-NW-BC-024	<input type="checkbox"/>




**illuminations**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com

# PIPELINE CM8

CAINE HEINTZMAN / 2013



## DESCRIPTION

Pipeline CM8 combines Connecting Colars, Elbows and Linear Sections to form a rectangular loop, obliquely challenging the traditional typology of the chandelier.

## MOUNTING TYPE

Pendant

## MATERIALS

Aluminum body  
Acrylic diffuser  
Linear LED  
Aircraft cable

## MANUFACTURED

Canada

## DIMENSIONS

267 x 26 x 7.5cm / 105" x 10.25" x 3"

## FACTORY DROP LENGTH

243cm / 96"

\*custom length available upon request.

## FINISHES



## ELECTRICAL

84W Linear Led  
70 000 hrs lifetime  
2700K / 4100K  
91 CRI  
120V input 60Hz (\*220V & 277V available upon request).  
24V DC  
Low Voltage Magnetic Driver  
Integral 24V power supply included (located in canopy).

\*0-10 Electronic Dimming available upon request

\*Other colour temperatures available upon request

## CERTIFICATIONS



	FINISH	TEMP.	CODE	
PIPELINE CM8	Black	WW / 2700K	PIP-CM8-P-WW-BK-024	<input type="checkbox"/>
	Black	NW / 4100K	PIP-CM8-P-NW-BK-024	<input type="checkbox"/>
	Copper	WW / 2700K	PIP-CM8-P-WW-CP-024	<input type="checkbox"/>
	Copper	NW / 4100K	PIP-CM8-P-NW-CP-024	<input type="checkbox"/>
	Polish / Copper	WW / 2700K	PIP-CM8-P-WW-PC-024	<input type="checkbox"/>
	Polish / Copper	NW / 4100K	PIP-CM8-P-NW-PC-024	<input type="checkbox"/>
	White	WW / 2700K	PIP-CM8-P-WW-WH-024	<input type="checkbox"/>
	White	NW / 4100K	PIP-CM8-P-NW-WH-024	<input type="checkbox"/>
	Brass	WW / 2700K	PIP-CM8-P-WW-BR-024	<input type="checkbox"/>
	Brass	NW / 4100K	PIP-CM8-P-NW-BR-024	<input type="checkbox"/>
	Black / Copper	WW / 2700K	PIP-CM8-P-WW-BC-024	<input type="checkbox"/>
	Black / Copper	NW / 4100K	PIP-CM8-P-NW-BC-024	<input type="checkbox"/>



**illuminations**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com