

Caos


ref. **CA04A-3**

3xCA04A

Pendant lamp



Caos Collection



MATERIAL FINISHES

LAMPSHADE

Cord

One color to choose



Stainless steel

CANOPY AND CABLE

DIBOND®

Transparent cable

RECOMMENDED BULBS

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request:

GU24 - Max. 3x23 W

OTHER TECHNICAL DATA

NET WEIGHT

14,6lb

PACKAGING

23,6x31,5x36,2in

23,1lb

ELECTRICAL FEATURES



CERTIFICATIONS



Caos


ref. CA04AB-3

1xCA04A, 2xCA04B

Pendant lamp



Caos Collection



MATERIAL FINISHES

LAMPSHADE

Cord

Color combination: 48-47-51



or other combination with
u otra combinaci3n con



Stainless steel

CANOPY AND CABLE

DIBOND®

Transparent cable

RECOMMENDED BULBS

120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request:

GU24 - Max. 3x23 W

OTHER TECHNICAL DATA

NET WEIGHT

14,6lb

PACKAGING

23,6x31,5x 36,2in

23,1lb

ELECTRICAL FEATURES



CERTIFICATIONS



Caos


ref. **CA04A-4**

3xCA04A, 1xCA04AG

Pendant lamp



Caos Collection



MATERIAL FINISHES

LAMPSHADE

Cord

One color to choose



Stainless steel

CANOPY AND CABLE

DIBOND®

Transparent cable

RECOMMENDED BULBS

120V - 60Hz

E26 Med. - Max. 4x100 W

E26 Med. - Max. 4x42 W

E26LED - Max. 4x13 W

upon request:

GU24 - Max. 4x23 W

OTHER TECHNICAL DATA

NET WEIGHT

17,2lb

PACKAGING

31,5x47,2x45,3in

39,6lb

ELECTRICAL FEATURES



CERTIFICATIONS



Caos


ref. **CA04A-6**

6xCA04A

Pendant lamp



Caos Collection



MATERIAL FINISHES

LAMPSHADE

Cord

Color



or other combination with



Stainless steel

CANOPY AND CABLE

DIBOND®

Transparent cable

RECOMMENDED BULBS

120V - 60Hz

E26 Med. - Max. 6x100 W

E26 Med. - Max. 6x42 W

E26LED - Max. 6x13 W

upon request:

GU24 - Max. 6x23 W

OTHER TECHNICAL DATA

NET WEIGHT

30,9lb

PACKAGING

31,5x47,2x45,3in

44lb

ELECTRICAL FEATURES



CERTIFICATIONS

