

## Onn

LED

ref. **ON04-1-LD**

LED / DIMMABLE

Pendant lamp

Lámpara colgante



### Onn Collection



ON02




ON04-1




ON04



ON04G



ON06



ON06G

### MATERIAL FINISHES

#### LAMPSHADE

Painted stainless steel

One color to choose



Bottom diffuser

#### CANOPY AND CABLE

Steel gloss nickel-plated

Black or transparent cable

### LIGHT SOURCE BUILT IN

#### 100~277V- 60Hz

⊕ 18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10V

### OTHER TECHNICAL DATA

#### NET WEIGHT

3,3 lb

#### PACKAGING

14,2x14,2x14,2in

4,4lb

#### ELECTRICAL FEATURES



#### CERTIFICATIONS



# Onn

ref. **ON04-1**

Pendant lamp



## Onn Collection



ON02




ON04-1




ON04



ON04G



ON06



ON06G

## MATERIAL FINISHES

### LAMPSHADE

Painted stainless steel

One color to choose




### CANOPY AND CABLE


Steel gloss nickel-plated

Black or transparent cable

## RECOMMENDED BULBS


### 120V - 60Hz

 E26 Med. - Max. 1x100 W

 E26 Med. - Max. 1x42 W

 E26LED - Max. 1x13 W

upon request:

 GU24 - Max. 1x23 W

## OTHER TECHNICAL DATA

### NET WEIGHT

2,03 lb

### PACKAGING

14,2x14,2x12,2in

3,3lb

### ELECTRICAL FEATURES



### CERTIFICATIONS



# Onn

LED

ref. **ON04G-LD**

LED / DIMMABLE

Pendant lamp



## Onn Collection




OON02




OON04



OON04G



OON06



OON06G

## MATERIAL FINISHES

### LAMPSHADE

Painted stainless steel

One color to choose



Bottom diffuser

### CANOPY AND CABLE

Steel gloss nickel-plated

Black or transparent cable

## LIGHT SOURCE BUILT IN

### 100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10V

upon request PHASE CONTROL (only 120V)

## OTHER TECHNICAL DATA

### NET WEIGHT

7,5lb

### PACKAGING

16,9x16,9x24,8in

12,3lb

### ELECTRICAL FEATURES



### CERTIFICATIONS



# Onn

ref. **ON04G**

Pendant lamp



## Onn Collection




OON02




OON04



OON04G



OON06



OON06G

## MATERIAL FINISHES

### LAMPSHADE

Painted stainless steel

One color to choose



### CANOPIY AND CABLE

Steel gloss nickel-plated

Black or transparent cable

## RECOMMENDED BULBS

### 120V - 60Hz

E26 Med. - Max. 3x100 W

E26 Med. - Max. 3x42 W

E26LED - Max. 3x13 W

upon request:

GU24 - Max. 3x23 W

## OTHER TECHNICAL DATA

### NET WEIGHT

2,3kg | 5,1l

### PACKAGING

16,9x16,9x24,8in

10,6lb

### ELECTRICAL FEATURES



### CERTIFICATIONS



# Onn

LED

ref. **ON04-LD**

LED / DIMMABLE

Pendant lamp



## Onn Collection




OON02




OON04



OON04G



OON06



OON06G

## MATERIAL FINISHES

### LAMPSHADE

Painted stainless steel

One color to choose



Bottom diffuser

### CANOPY AND CABLE

Steel gloss nickel-plated

Black or transparent cable

## LIGHT SOURCE BUILT IN

### 100~277V- 60Hz

18,1W 3000K 1776lm built-in

upon request 2700K 1645lm

Dimming system: 0-10V

upon request PHASE CONTROL [only 120V]

## OTHER TECHNICAL DATA

### NET WEIGHT

4,4lb

### PACKAGING

17,3x17,3x15,7in

8,4lb

### ELECTRICAL FEATURES



### CERTIFICATIONS



# Onn

ref. **ON04**

Pendant lamp



## Onn Collection




ON02




ON04



ON04G



ON06



ON06G

## MATERIAL FINISHES

### LAMPSHADE

Painted stainless steel

One color to choose



### CANOPY AND CABLE

Steel gloss nickel-plated

Black or transparent cable

## RECOMMENDED BULBS

### 120V - 60Hz

E26 Med. - Max. 1x100 W

E26 Med. - Max. 1x42 W

E26LED - Max. 1x13 W

upon request:

GU24 - Max. 1x23 W

## OTHER TECHNICAL DATA

### NET WEIGHT

3,1lb

### PACKAGING

17,3x17,3x15,7in

6,6lb

### ELECTRICAL FEATURES



### CERTIFICATIONS

