

## Shio

LED

ref. **SH04-1-LD**

LED / DIMMABLE

Pendant lamp



### Shio Collection



SH02



SH03



SH04



SH04-1

### MATERIAL FINISHES

#### LAMPSHADE

Plywood

One color to choose



Top and bottom diffuser

Painted steel

#### CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

### LIGHT SOURCE BUILT IN

#### 100-277V - 60Hz

16,6W 3000K 1530lm built-in  
upon request 2700K 1449lm

Dimming system: 0-10 V

upon request PHASE CONTROL

### OTHER TECHNICAL DATA

#### NET WEIGHT

7,3lb

#### PACKAGING

17,3x17,3x15,7in

10,5lb

#### ELECTRICAL FEATURES



#### CERTIFICATIONS



## Shio

ref. **SH04-1**

Pendant lamp



### Shio Collection



SH02



SH03



SH04



SH04-1

### MATERIAL FINISHES

#### LAMPSHADE

Plywood

One color to choose



Painted steel

Top and bottom diffuser

#### CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

### RECOMMENDED BULBS

**120V - 60Hz**

⊙ 2GX13 - Max. 1x22 W

### OTHER TECHNICAL DATA

#### NET WEIGHT

7,3lb

#### PACKAGING

17,3x17,3x,7,9in

9,1lb

#### ELECTRICAL FEATURES



#### CERTIFICATIONS



# Shio

LED

ref. SH04-LD

LED / DIMMABLE

Pendant lamp



Shio Collection



SH02



SH03



SH04



SH04-1

## MATERIAL FINISHES

### LAMPSHADE

Plywood

One color to choose



Painted steel

Top and bottom diffuser

### CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

## LIGHT SOURCE BUILT IN

### 100-277V - 60Hz

24W 3000K 3659lm built-in  
upon request 2700K 3550lm

Dimming system: 0-10 V  
upon request PHASE CONTROL

## OTHER TECHNICAL DATA

### NET WEIGHT

13,2lb

### PACKAGING

24x24x8,7in  
18,5lb

### ELECTRICAL FEATURES



### CERTIFICATIONS



## Shio

ref. **SH04**

Pendant lamp



### Shio Collection



SH02



SH03



SH04



SH04-1

### MATERIAL FINISHES

#### LAMPSHADE

Plywood

One color to choose



Painted steel

Top and bottom diffuser

#### CANOPY AND CABLE

Steel gloss nickel-plated and stainless steel

Black or transparent cable

### RECOMMENDED BULBS

**120V - 60Hz**

⊙ 2GX13 - Max. 1x55 W

### OTHER TECHNICAL DATA

#### NET WEIGHT

10,8lb

#### PACKAGING

24x24x8,7in

1,2lb

#### ELECTRICAL FEATURES



#### CERTIFICATIONS

