



**UPSKI070**

Design by Manuel Vivian

Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colors and sizes.

Typology: CEILING

**Ratings**

- E26 or 2GX13 or GU24 LED
- Downlight
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame

**GU24 LED VERSION**


- CCT 2700 K, CRI 80
- Dimmable ELV trailing edge, phase cut LED bulbs

Product code composition

**SKIN**

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source
UP	<b>SKI 070 E26</b>	BC white	BC white	E26 2 x Max 20W fluo
	<b>SKI 070 FLE</b>	AG silver	BW warm white	FLE 2GX13 1x55W - 120VAc
	<b>SKI 070 LED</b>	AR orange	AZ light blue	LED GU24 2x15W - included 120VAc - CRI80 diffused beam - 2700K 3200 lm - 107 lm/W - dimmable ELV TRAILING EDGE PHASE CUT <b>LED</b>
			BA ivory white	
		MA brown		
		NE matt black		
		OR gold		
		RS fire red		
		VE green		

lb 13.22 ft<sup>3</sup> 11.65



**Lampshade**


Eco-leather: 87% PVC + 13% polyester / Flame retardant (UNI 9175 - UNI 9175/FA1) class 1|M / Weight 550 ± 5% gr/m<sup>2</sup> / Abrasion resistance (Martindale) 25.600 ± 10% rubs / Glow wire 960 °C.



DRY LOCATION

example composition code | UP | SKI070FLE | BC | BC |

Available colors



UPSKI070\_-----

CUSTOMER \_\_\_\_\_

NOTES \_\_\_\_\_

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com



**UPSKI100**

Design by Manuel Vivian

Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colors and sizes.

Typology: CEILING

**Ratings**

- E26 or 2GX11 or GU24 LED
- Downlight
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame

**GU24 LED VERSION**


- CCT 2700 K, CRI 80
- Dimmable ELV trailing edge, phase cut LED bulbs

Product code composition

**SKIN**

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source
UP	SKI 100 E26	BC white	BC white	E26 3 x Max 26W fluo
	SKI 100 FLE	AG silver	BW warm white	FLE 2GX11 4x24W - 120VAc
	SKI 100 LED	AR orange AZ light blue BA ivory white MA brown NE matt black OR gold RS fire red VE green		LED GU24 3x15W - included 120VAc - CRI80 diffused beam - 2700K 4800 lm - 107 lm/W 

lb 26.45 ft³ 34.60



**Lampshade**


Eco-leather: 87% PVC + 13% polyester / Flame retardant (UNI 9175 - UNI 9175/FA1) class 1|M / Weight 550 ± 5% gr/m² / Abrasion resistance (Martindale) 25.600 ± 10% rubs / Glow wire 960 °C.



DRY LOCATION

example composition code |UP| SKI100LED |MA| BW|

Available colors



UPSKI100 \_\_\_\_\_ CUSTOMER \_\_\_\_\_ NOTES \_\_\_\_\_

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com



**UPSKI160**  
Design by Manuel Vivian

Collection consisting of ceiling lamps and suspended lamps. The lampshade is covered with flame-retardant eco-leather. Available in several colors and sizes.

Typology: CEILING

**Ratings**


- E26 or 2GX11 or GU24 LED
- Downlight
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Steel frame

**GU24 LED VERSION**

- CCT 2700 K, CRI 80
- Dimmable ELV trailing edge, phase cut LED bulbs

Product code composition

SKIN						
Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	USD	
UP	SKI 160 E26	BC white	BC white	E26 5 x Max 26W fluo		
	SKI 160 FLE	AG silver	BW warm white	FLE 2GX11 4x55W - 120VAc		
	SKI 160 LED	AR orange	AZ light blue	-	LED GU24 5x15W - included 120VAc - CRI80 diffused beam - 2700K 8000 lm - 107 lm/W - dimmable ELV TRAILING EDGE PHASE CUT + LED	
			BA ivory white			
			MA brown			
			NE matt black			
			OR gold			
			RS fire red			
			VE green			




**Lampshade**

Eco-leather: 87% PVC + 13% polyester / Flame retardant (UNI 9175 - UNI 9175/FA1) class 1|M / Weight 550 ± 5% gr/m² / Abrasion resistance (Martindale) 25.600 ± 10% rubs / Glow wire 960 °C.



example composition code |UP|SKI160E26|MA|BW|

Available colors



UPSKI160 \_\_\_\_\_ CUSTOMER \_\_\_\_\_ NOTES \_\_\_\_\_

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com