SPILLRAY - US SPILL P - technical sheet





US SPILL P

Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings


- •G4
- Diffused light
- Surface installation over holes
- •Power supply 120V AC
- ·Switch mode: on-off
- ·Metal body, chrome
- •Clear or coloured diffuser

12V VERSION

Dimmable ELV trailing edge, phase cut transformer

LED VERSION

•CCT of the included LED lamp 3000 K





CUSTOMER_____

NOTES

USSPILLP __CR___

NOTICE:

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the



SPILLRAY - US SPILL M - technical sheet





US SPILL M

Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings


- •G4
- Diffused light
- Surface installation over holes
- •Power supply 120V AC
- Switch mode: on-off
- ·Metal body, chrome

12V VERSION

•Dimmable ELV trailing edge, phase cut transformer

LED VERSION

•CCT of the included LED lamp 3000 K



NOTICE: Luminous flux for all built-in LED luminaires is shown at source level.

425 Peachtree
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the



SPILLRAY - US SPILL G - technical sheet





US SPILL GDesign by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings

- •G4
- Diffused light
- Surface installation over holes
- •Power supply 120V AC
- •Switch mode: on-off
- ·Metal body, chrome

12V VERSION

•Dimmable ELV trailing edge, phase cut transformer

LED VERSION

•CCT of the included LED lamp 3000 K



NOTICE: Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

CUSTOMER

USSPILLG _ CR___



NOTES