



US SPILL P
Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings

- G4
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Metal body, chrome
- Clear or coloured diffuser

12V VERSION

- Dimmable ELV trailing edge, phase cut transformer

LED VERSION

- CCT of the included LED lamp 3000 K



Product code composition

SPILLRAY / transformer INCLUDED

| Type | Article | Colours | Finish | Source |
|------|---------|---------------------------|------------------|---|
| US | SPILL P | CS crystal | CR chrome | 12V G4 1xMax 20W 12Vac halo included |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |

lb 2.65 ft³ 0.706

Ø 12.2 cm - Ø 4 3/4"



example composition code | **US** | **SPILLP** | **BR** | **CR** | **12V**


SPILLRAY / driver INCLUDED - for dimmable options contact our representatives.

| Type | Article | Colours | Finish | Source |
|------|---------|---------------------------|------------------|---|
| US | SPILL P | CS crystal | CR chrome | LED G4 1x1.5W 12Vdc included not dimmable diffused beam - 3000K |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |



example composition code | **US** | **SPILLP** | **RS** | **CR** | **LED**

Available colors



CS Crystal **RS** Red **GR** Grey **BR** Metallic bronze

USSPILLP __ CR __

CUSTOMER _____ NOTES _____

NOTICE:

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy.





US SPILL M
Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings

- G4
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Metal body, chrome

12V VERSION

- Dimmable ELV trailing edge, phase cut transformer

LED VERSION

- CCT of the included LED lamp 3000 K


Product code composition

SPILLRAY / transformer INCLUDED

| Type | Article | Colours | Finish | Source |
|------|---------|--------------------|-----------|--------------------------------------|
| US | SPILL M | CS crystal | CR chrome | 12V G4 1xMax 20W 12VAc halo included |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |

lb 3.09 ft³ 1.766

Ø 12.2 cm - Ø 4 3/4"



example composition code | US | SPILLM | GR | CR | 12V

SPILLRAY / driver INCLUDED - for dimmable options contact our representatives.

| Type | Article | Colours | Finish | Source |
|------|---------|--------------------|-----------|---|
| US | SPILL M | CS crystal | CR chrome | LED G4 1x1.5W 12Vdc included not dimmable diffused beam - 3000K |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |



example composition code | US | SPILLM | CS | CR | LED

Available colors



CS Crystal RS Red GR Grey BR Metallic bronze

USSPILLM __ CR __ CUSTOMER _____ NOTES _____

NOTICE: Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of the data.





US SPILL G
Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: suspension lamp

Ratings

- G4
- Diffused light
- Surface installation over holes
- Power supply 120V AC
- Switch mode: on-off
- Metal body, chrome

12V VERSION

- Dimmable ELV trailing edge, phase cut transformer

LED VERSION

- CCT of the included LED lamp 3000 K

Product code composition

SPILLRAY / transformer INCLUDED

| Type | Article | Colours | Finish | Source |
|------|---------|--------------------|-----------|--------------------------------------|
| US | SPILL G | CS crystal | CR chrome | 12V G4 1xMax 20W 12VAc halo included |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |

lb 3.53 ft³ 1.766

Ø 12.2 cm - Ø 4 3/4"

4.3 cm
1 3/4"

max 120 cm - 47 1/4"

10 cm - 4"
25.3 cm - 10"

Ø 14 cm
Ø 5 1/2"



example composition code | US | SPILL G | RS | CR | 12V

SPILLRAY / driver INCLUDED - for dimmable options contact our representatives.

| Type | Article | Colours | Finish | Source |
|------|---------|--------------------|-----------|---|
| US | SPILL G | CS crystal | CR chrome | LED G4 1x1.5W 12Vdc included not dimmable diffused beam - 3000K |
| | | RS red | | |
| | | GR grey | | |
| | | BR metallic bronze | | |

EneC logo, Dry Location symbol, CRI80, 120VAc, LED, 200 lm, 133 lm/W

example composition code | US | SPILL G | BR | CR | LED

Available colors



CS
Crystal



RS
Red



GR
Grey



BR
Metallic
bronze

USSPILLG __ CR __

CUSTOMER _____ NOTES _____

NOTICE: Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of the data.

