SPILLRAY - KP SPIL P I / UP SPIL P I - technical sheet





KP SPIL P I UP SPIL P I

Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.


Typology: recessed ceiling lamp

Ratings

- •G4
- Diffused light
- •Installs over 4 in. octagonal J-box
- •Switch mode: on-off
- ·Metal body, chrome
- •Clear or coloured diffuser

12V VERSION

•Dimmable ELV trailing edge, phase cut transformer



Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the



SPILLRAY - KP SPIL M I / UP SPIL M I - technical sheet





KP SPIL M I UP SPIL M I

Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: recessed ceiling lamp

Ratings


- •G4
- Diffused light
- •Installs over 4 in. octagonal J-box
- Switch mode: on-off
- ·Metal body, chrome
- •Clear or coloured diffuser

12V VERSION

•Dimmable ELV trailing edge, phase cut transformer

LED VERSION

•CCT of the included LED lamp 3000 K



sales@illumco.com 404.876.1064 Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

SPILLRAY - KP SPIL G I / UP SPIL G I - technical sheet





KP SPIL G I UP SPIL G I

Design by Manuel Vivian

Collection consisting of wall lamps, recessed ceiling lamps and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halo or LED light source.

Typology: recessed ceiling lamp

Ratings

- •G4
- •Diffused light
- •Installs over 4 in. octagonal J-box
- •Switch mode: on-off
- Metal body, chrome
- •Clear or coloured diffuser

12V VERSION

•Dimmable ELV trailing edge, phase cut transformer

						ERSION of the included LED lamp 3000 K		
	Product	Product code composition						
	SPILL	SPILLRAY / transformer INCLUDED for installation only in J-box or remote / chrome backplate INCLUDED						
	Туре	Article	Colours	Finish	Source			
	KP	SPIL G I	CS crystal	CR chrome	12V	G4 1xMax 20W 12VAC halo included		
lb 1.76 ft³ 0.706	,	,	RS red					
Ø 12 cm Ø 4 3/4"			GR grey					
11.6 cm 4 5/8"	DRY LOCATION - TRAILING EDUE PHASE CUT							
	exampl	example composition code KP SPILGI RS CR 12V						
,	SPILL	SPILLRAY / driver INCLUDED for installation only in J-box or remote / chrome backplate INCLUDED dimmable options avaiblable for cluster of 3 or more						
	Туре	Article	Colours	Finish	Source			
	UP	SPIL G I	CS crystal	CR chrome	LED	G4 1x1.5W 12Vpc included not dimmable diffused beam - 3000K		
Ø 14 cm - Ø 5 1/2"			RS red					
			GR grey					
	Intertek	DRY LOCA	TION CRISO	120Vac LED	200 lm	133 lm/W		
		example composition code UP SPILGI CS CR LED For optional accessories please refer to our pricelist, website or contact our representatives						
Aveilelle colors	For option	onal accessories	please refer to	our pricelist, web	site or c	ontact our representatives		
Available colors								
CS RS Crystal Red	GR Grey							
KPSPILGICR12V	USTOME	R	NC	OTES				

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet