



USULA090IN - recessed
Design by Timo Ripatti

Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum.
Available in several colors and sizes.


Typology: SUSPENDED LAMP

Ratings


- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 5.51 ft³ 6.178

Product code composition



recessed canopy



U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 090 LED	AN anthracite grey	IN recessed canopy	LED 63W - diffused beam 3000K
		RU rust brown		



DRY LOCATION

CRI90

120/277VAC



4904 lm 78 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code **US** **ULA090LED** **AN** **IN**

Available colors



AN
Anthracite
grey



RU
Rust brown


CUSTOMER _____ NOTES _____

USULA090LED _ _ IN

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com



USULA120 - recessed

Design by Timo Ripatti


Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum. Available in several colors and sizes.

Typology: SUSPENDED LAMP

Ratings

- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 6.61 ft³ 10.76 Product code composition




U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 120 LED	AN anthracite grey	IN recessed canopy	LED 86W - diffused beam 3000K
		RU rust brown		

DRY LOCATION CRI90 120/277VAC **LED** 7354 lm 86 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code | US | ULA120LED | RU | IN |



Available colors




AN Anthracite grey RU Rust brown

CUSTOMER _____ NOTES _____

USULA120LED _ _ IN

Luminous flux for all built-in LED luminaires is shown at source level. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com



USULA160 - recessed
Design by Timo Ripatti

Collection consisting of wall lamps, ceiling lamps and suspended lamps in aluminum.
Available in several colors and sizes.


Typology: SUSPENDED LAMP

Ratings

- Built in **LED** module
- CCT 3000 K
- Downlight
- Remote LED driver(s)
- Installs to ceiling (requires recessed strain relief)
- Power supply 120/277V AC
- Switch mode: on-off
- Dimmable 1-10V LED driver (remote)
- Painted aluminum profile 23 x 23 mm
- Opalescent diffuser

lb 10.58 ft³ 20.12

Product code composition



U-LIGHT / recessed suspension / DRIVER INCLUDED

Type	Article	Colours	Version	Source
US	ULA 160 LED	AN anthracite grey	IN recessed canopy	LED 125W - diffused beam 3000K
		RU rust brown		

Ø 160 cm - Ø 63



DRY LOCATION

CRI90

120/277VAC



LED


11000 lm

88 lm/W

hole Ø 4,5 cm - 1 3/4" / min depth 10 cm - 3 7/8"

example composition code | US | ULA160LED | RU | IN |

recessed canopy



Available colors



AN
Anthracite
grey



RU
Rust brown

USULA160LED _ _ IN

CUSTOMER _____

NOTES _____

Luminous flux for all built-in LED luminaires is shown at source level.

Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com