



USURBMIG

Design by Dima Loginoff

Collection consisting of aluminum ceiling lamps and suspended lamps.

Available in several colors and sizes.


Typology: SUSPENSION LAMP

Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable trailing edge
- Aluminum body, painted
- Opalescent diffuser

lb 2.20 ft³ 0.8827

Product code composition



URBAN MINI

Type	Article	Colours	Finishing	Source
US	URBMI G	BC wrinkled white	XX	LED 8W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		

DRY LOCATION CRI90
 dimmable ELY TRAILING EDGE
 dimmable PHASE CUT
 120VAc **LED** 669 lm 84 lm/W

example composition code | US | URBMI G | NI | XX | LED

Available colors



BC
Wrinkled
white

BR
Matt
bronze

NI
Matt
nickel

USURBMIG_ _XXLED

CUSTOMER _____ NOTES _____

NOTICE:

Luminous flux for all LED luminaires is shown at source level.
 Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.





USURBMIM

Design by Dima Loginoff

Collection consisting of aluminum ceiling lamps and suspended lamps.

Available in several colors and sizes


Typology: SUSPENSION LAMP

Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable trailing edge
- Aluminum body, painted
- Opalescent diffuser

Product code composition

lb 1.54 ft³ 0.70



URBAN MINI


Type	Article	Colours	Finishing	Source
US	URBMI M	BC wrinkled white	XX	LED 8W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		

DRY LOCATION CRI90

 120VAC **LED** 669 lm 84 lm/W

example composition code | US | URBMIM | BC | XX | LED

Available colors



USURBMIM_ _XXLED

CUSTOMER _____ NOTES _____

NOTICE:
 Luminous flux for all LED luminaires is shown at source level.
 Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.



USURBMIP

Design by Dima Loginoff

Collection consisting of aluminum ceiling lamps and suspended lamps.

Available in several colors and sizes.


Typology: SUSPENSION LAMP

Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable trailing edge
- Aluminum body, painted
- Opalescent diffuser

lb 1.10 ft³ 0.1412

Product code composition



URBAN MINI

Type	Article	Colours	Finishing	Source
US	URB MI P	BC wrinkled white	XX	LED 8W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		

DRY LOCATION CRI90

 dimmable ELY TRAILING EDGE PHASE CUT 120Vac **LED** 669 lm 84 lm/W

example composition code | US | URBMI P | BR | XX | LED

Available colors



BC
Wrinkled
white

BR
Matt
bronze

NI
Matt
nickel

CUSTOMER _____ NOTES _____

USURBMIP_ _XXLED

NOTICE:

Luminous flux for all LED luminaires is shown at source level.
 Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.