



**UPURBANG**  
Design by Dima Loginoff

Collection consisting of aluminum ceiling lamps and suspended lamps.  
Available in several colors and sizes.

Typology: CEILING

Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable ELV trailing edge phase cut
- Aluminum body, painted
- Opalescent diffuser

Product code composition

lb 3.74 ft³ 0.8827



23.8 cm  
9 3/8"

Ø 9.4 cm  
Ø 3 3/4"



Ø 13,5 cm  
Ø 5 3/8"

**URBAN**

Type	Article	Colours	Finishing	Source
UP	URBAN G	BC wrinkled white	XX	LED 15W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		



DRY LOCATION CRI90




120Vac **LED** 1254 lm 84 lm/W

example composition code | UP | URBANG | BR | XX | LED


Available colors



BC  
Wrinkled  
white



BR  
Matt  
bronze



NI  
Matt  
nickel

UPURBANG\_\_XXLED

CUSTOMER \_\_\_\_\_ NOTES \_\_\_\_\_

NOTICE:

Luminous flux for all LED luminaires is shown at source level.  
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com



**UPURBANM**  
Design by Dima Loginoff


Collection consisting of aluminum ceiling lamps and suspended lamps.  
Available in several colors and sizes.

Typology: CEILING

Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable ELV trailing edge phase cut
- Aluminum body, painted
- Opalescent diffuser

Product code composition




URBAN				
Type	Article	Colours	Finishing	Source
UP	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		

DRY LOCATION CRI90
 
 dimmable ELV TRAILING EDGE PHASE CUT
 120VAC **LED** 1254 lm 84 lm/W

example composition code | UP | URBANM | BC | XX | LED

Available colors



**BC**  
Wrinkled white

**BR**  
Matt bronze

**NI**  
Matt nickel

UPURBANM\_\_XXLED      CUSTOMER \_\_\_\_\_      NOTES \_\_\_\_\_

\_\_\_\_\_

NOTICE:

Luminous flux for all LED luminaires is shown at source level.  
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064      sales@illumco.com



**UPURBANP**

Design by Dima Loginoff

Collection consisting of aluminum ceiling lamps and suspended lamps.  
Available in several colors and sizes.

Typology: CEILING


Ratings

- Built in line voltage **LED** module
- CCT 3000 K
- Downlight
- Installs over 4 in. octagonal J-box
- Power supply 120V AC
- Switch mode: on-off, dimmable ELV trailing edge phase cut
- Aluminum body, painted
- Opalescent diffuser

Product code composition

**URBAN**


Type	Article	Colours	Finishing	Source
UP	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K
		BR matt bronze		
		NI matt nickel		



DRY LOCATION
 CRI90
 dimmable ELV TRAILING EDGE PHASE CUT
 120VAc **LED** 1254 lm 84 lm/W

example composition code | UP | URBANP | NI | XX | LED

Available colors



BC  
Wrinkled  
white

BR  
Matt  
bronze

NI  
Matt  
nickel

UPURBANP\_\_XXLED      CUSTOMER \_\_\_\_\_      NOTES \_\_\_\_\_

NOTICE:

Luminous flux for all LED luminaires is shown at source level.  
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

