



Calx 10, walnut, brushed brass




Calx 10, dark walnut, brushed aluminum




The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.

Nick Sheridan,
Designer

Calx 10 accent pendant



Dimensions: 6.75" x 6.75", 6.4"
 Materials: wood, metal, polymer
 Product weight: 2 lb
 Light source: integrated LED
 Light output: 345 Lumens (source)
 Light color*: 2700 K or 3500 K
 Color accuracy: 90+ CRI
 Power usage: 3.2 W
 Dimmable (see driver below)
 Driver location: must be housed in J-box
 Driver dimensions: 2" x 1.3" x 1", included
 White (CM-060) low-profile round canopy with
 white braided cord included
 Canopy dimensions: 5"Ø, 0.3"
 See website for more canopy information
 72" drop length, field adjustable
 Suitable for a sloped ceiling
 Wood grain will vary
 Specifications subject to change



low-profile round canopy with braided cord



MATERIAL & FINISH OPTIONS

Calx 10 part # 06-200-10

Metal Finish

brushed aluminum (CM-012) A
 brushed rose gold (CM-046) G
 brushed brass (CM-047) R

Wood Finish

walnut (CM-055) W
 dark stained walnut (CM-056) D
 white washed oak (CM-095) O

Lamping*


2700 K LED 27
 3500 K LED 35

Driver

120VAC input voltage P1
 ELV dimming only

Calx sconce also available.


*Available in 3000K, 4000K and other color temperatures upon request





Calx 19, walnut, brushed brass

Calx 19 pendant



Dimensions: 13" x 13", 12.75"
Materials: wood, metal, polymer
Product weight: 7 lb
Suitable for a sloped ceiling

Integrated LED Specifications
Light output: 1250 Lumens (source)
Light color*: 2700 K or 3500 K
Color accuracy: 90+ CRI
Power usage: 13 W
Dimmable (see driver below)
White (CM-060) extended-profile round canopy with white braided cord and steel cable included
Canopy dimensions: 5"Ø, 2"
Canopy required to house LED driver (3.3" x 1.6" x 1.0")
See below for more canopy information
72" drop length, field adjustable

Medium Base Specifications
Lamping: 1x E26 base, type A lamp, 60 W max
Bulb not included
Input voltage: 250 V AC max
White (CM-060) low-profile round canopy with white SPT cord and steel cable included
Canopy dimensions: 5"Ø, 0.3"
72" drop length, field adjustable
Suitable for a sloped ceiling
Wood grain will vary
Specifications subject to change



brushed brass
(CM-047)



brushed aluminum
(CM-012)



brushed rose gold
(CM-046)




walnut
(CM-055)



dark stained walnut
(CM-056)



white washed oak
(CM-095)



Calx 19 E26
low-profile round
canopy with white SPT
with steel cable



Calx 19 Integrated LED
extended-profile round
canopy braided cord
with steel cable



The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.

Nick Sheridan,
Designer

MATERIAL & FINISH OPTIONS

Calx 19 part # 06-200-19

Metal Finish

- brushed aluminum (CM-012) A
- brushed rose gold (CM-046) G
- brushed brass (CM-047) R

Wood Finish

- walnut (CM-055) W
- dark stained walnut (CM-056) D
- white washed oak (CM-095) O

Lamping*

- 2700 K LED 27
- 3500 K LED 35
- medium base E26 socket MB



Driver (LED version only)

- AC Input Voltage Range: 120-277 V
- 120 V input: TRIAC, ELV & 0-10 V dimmable
- 240 & 277 V input: only 0-10 V dimmable

Includes

- frosted polymer diffuser (CM-057)

*Available in 3000K, 4000K and other color temperatures upon request






Calx 36, walnut, brushed brass




The Calx is an example of modern design where the methods and the materials themselves are integral to its very conception, aligning form and function, which creates a synergy that is evident. The fixture ultimately forms a square aperture but enjoys a beautifully simple faceted structure.

Nick Sheridan,
Designer

Calx 36
pendant



Dimensions: 25" x 25", 22.75"
 Materials: wood, metal, polymer
 Product weight: 18 lb
 Light source: 4x GU-24 base socket
 Lamping: 4x GU-24 base, 18 W max each
 Bulbs not included
 Input voltage: 300 V AC max
 White (CM-060) 8" round canopy included
 Canopy dimensions: 8"Ø, 1.25"
 See page left and website for more canopy information
 96" drop length, field adjustable
 Suitable for a sloped ceiling
 Wood grain will vary
 Specifications subject to change



8" round canopy
clear SPT with
four 1/16" Ø steel cables

MATERIAL & FINISH OPTIONS

Calx 36 part # 06-200-36

Metal Finish

- brushed aluminum (CM-012)
- brushed rose gold (CM-046)
- brushed brass (CM-047)

A
G
R

Wood Finish

- walnut (CM-055)
- dark stained walnut (CM-056)

W
D

Includes

- frosted polymer diffuser (CM-057)

Other sizes and Calx sconce also available



brushed brass
(CM-047)



brushed aluminum
(CM-012)



brushed rose gold
(CM-046)



walnut
(CM-055)



dark stained walnut
(CM-056)

