

Outdoor

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.

Finished with slip surrounding, available in three different colors.

Matt opal blown glass sphere diffuser.

Ceiling rosette and black electric cable.

Luminaire suitable for outdoor use. IP54


Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.

Acabada con engobe vitrificado disponible en tres tonos diferentes.

Difusor de esfera de vidrio soplado en opal mate.

Florón y cable eléctrico negro.

Luminaria apta para su uso en exteriores. IP54



Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

● NC.S016G 1xE27 LED 6W
● NC.S016T ▶ A+ 1xE27 LED 6W
● NC.S016W

USA version

● TUS.NC.S016G 1x6W LED Medium base 120V
● TUS.NC.S016T
● TUS.NC.S016W

Bulb included / Bombilla incluida

Packaging / Embalaje

1 box


32x32x25 cm / 0,025 m³
13"x13"x10" / 0,89 ft³

Peso neto: 1,5 Kg
Net weight: 3,3 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:

IP54

USA Certifications:


ETL US
 Intertek
 4006546
Wet Location

Suitable for outdoor use / Apta para uso exterior




Compositions


Indoor use only / Solo para uso interior




European version	
NC.S203G	 3xE27 LED 6W
NC.S203T	
NC.S203W	
USA version	
TUS.NC.S203G	 3x6W LED Medium base 120V
TUS.NC.S203T	
TUS.NC.S203W	



European version	
NC.S205G	 5xE27 LED 6W
NC.S205T	
NC.S205W	
USA version	
TUS.NC.S205G	 5x6W LED Medium base 120V
TUS.NC.S205T	
TUS.NC.S205W	



European version	
NC.S303G	 3xE27 LED 6W
NC.S303T	
NC.S303W	
USA version	
TUS.NC.S303G	 3x6W LED Medium base 120V
TUS.NC.S303T	
TUS.NC.S303W	



European version	
NC.S305G	 5xE27 LED 6W
NC.S305T	
NC.S305W	
USA version	
TUS.NC.S305G	 5x6W LED Medium base 120V
TUS.NC.S305T	
TUS.NC.S305W	

Outdoor

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.

Finished with slip surrounding, available in three different colors.

Matt opal blown glass sphere diffuser.

Ceiling rosette and black electric cable.

Luminaire suitable for outdoor use. IP54


Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.

Acabada con engobe vitrificado disponible en tres tonos diferentes.

Difusor de esfera de vidrio soplado en opal mate.

Florón y cable eléctrico negro.

Luminaria apta para su uso en exteriores. IP54



Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

● NC.S027G
● NC.S027T
● NC.S027W

1xE27 LED 14W
A+

USA version

● TUS.NC.S027G
● TUS.NC.S027T
● TUS.NC.S027W

1x13W LED Medium base 120V

Bulb included / Bombilla incluida



Packaging / Embalaje

1 box


42x42x35 cm / 0,062 m³
17"x17"x14" / 2,2 ft³

Peso neto: 4,5 Kg
Net weight: 10 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:

IP54

USA Certifications:

Wet Location
Intertek 4006546

Suitable for outdoor use / Apta para uso exterior