

ALFI

L100.6 / L100.6A / L100.11 / L100.11A
suspension light

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Metallic suspension light providing direct and indirect light.

Adjustable stems (swivel on the base).

Glass shade could be ordered plain or with metal cover.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Product Code	Lamp	Finish
■ L100.6 plain glass	LED 6x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 6x300 lumens / Dimmable 0-10V Plain glass shade	■ 26 BLK Black ■ 20 GLD M Gold Matt ■ CUSTOM
■ L100.6A glass with cap	LED 6x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 6x300 lumens / Dimmable 0-10V Glass shade with cap	■ 26 BLK Black ■ 20 GLD M Gold Matt ■ CUSTOM
■ L100.11 plain glass	LED 11x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 11x300 lumens / Dimmable 0-10V Plain glass shade	■ 26 BLK Black ■ 20 GLD M Gold Matt ■ CUSTOM
■ L100.11A glass with cap	LED 11x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 11x300 lumens / Dimmable 0-10V Glass shade with cap	■ 26 BLK Black ■ 20 GLD M Gold Matt ■ CUSTOM

SPECIAL REQUIREMENTS

Custom finishes and versions

Alternate lamping and sizes available for projects.

Standard compositions bellow, other compositions available with multiple canopies. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com



425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064
sales@illumco.com


ALFI

L100.6 / L100.6A / L100.11 / L100.11A
suspension light


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information


Code	Composition includes	Finish
L100.6 plain glass	1 linear canopy 113743XX5	26 BLK Black
	2 stems 652mm 113743XX1	20 GLD M Gold Matt
	2 stems 812mm 113743XX2	CUSTOM
	2 stems 972mm 113743XX3	
	6 plain glass shades 113743000	
	1 driver 671000049 / Dimmable 1-10V	




Code	Composition includes	Finish
L100.6A glass with cap	1 linear canopy 113743XX5	26 BLK Black
	2 stems 652mm 113743XX1	20 GLD M Gold Matt
	2 stems 812mm 113743XX2	CUSTOM
	2 stems 972mm 113743XX3	
	6 glass shades with cap 113743XX0	
	1 driver 671000049 / Dimmable 1-10V	



Code	Composition includes	Finish
L100.11 plain glass	1 linear canopy 113743XX5	26 BLK Black
	6 stems 652mm 113743XX1	20 GLD M Gold Matt
	3 stems 812mm 113743XX2	CUSTOM
	2 stems 972mm 113743XX3	
	11 plain glass shades 113743000	
	1 driver 671000049 / Dimmable 1-10V	



Code	Composition includes	Finish
L100.11A glass with cap	1 linear canopy 113743XX5	26 BLK Black
	6 stems 652mm 113743XX1	20 GLD M Gold Matt
	3 stems 812mm 113743XX2	CUSTOM
	2 stems 972mm 113743XX3	
	11 glass shades with cap 113743XX0	
	1 driver 671000049 / Dimmable 1-10V	



estiluz®

ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com

illuminations

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

ALFI L100.6 / L100.6A / C50.6 / C50.6A

suspension light





Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with L100.6 / C50.6




To create compositions with L100 and C50 you need to order connector KIT 123743XX2

See ALFI C50 spec sheet for more information about canopy C50.6 / C50.6A

Canopy C50.6 / C50.6A



Canopy L100.6 / L100.6A



ALFI

L100.11 / L100.11A / C50.8 / C50.8A
suspension light





Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with L100.11 / C50.8




To create compositions with L100 and C50 you need to order connector KIT 123743XX2

See ALFI C50 spec sheet for more information about canopy C50.8 / C50.8A

Canopy C50.8 / C50.8A



Canopy L100.11 / L100.11A



ALFI

L120.6 / L120.6A

suspension light

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Metallic suspension light providing direct and indirect light.

Adjustable stems (swivel on the base).

Glass shade could be ordered plain or with metal cover.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Product Code	Lamp
L120.6 plain glass	LED 6x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 6x300 lumens / Dimmable 0-10V Plain glass shade

Finish	
26 BLK	Black
20 GLD M	Gold Matt
CUSTOM	

Product Code	Lamp
L120.6A glass with cap	LED 6x3W (2700K / Ang 120° / >90 CRI / 24V) / 100V -277V (led included) A++ Typ* 6x300 lumens / Dimmable 0-10V Glass shade with cap

Finish	
26 BLK	Black
20 GLD M	Gold Matt
CUSTOM	

SPECIAL REQUIREMENTS

Custom finishes and versions

Alternate lamping and sizes available for projects.

Standard compositions bellow, other compositions available with multiple canopies. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com



425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064
sales@illumco.com


ALFI L120.6 / L120.6A

suspension light

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Composition includes
<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div> <p>L120.6</p> <p>plain glass</p> </div> </div>	<p>1 linear canopy 113743XX7</p> <p>1 stem 652mm 113743XX1</p> <p>3 stems 812mm 113743XX2</p> <p>2 stems 972mm 113743XX3</p> <p>6 plain glass shades 113743000</p> <p>1 driver 671000049 / Dimmable 1-10V</p>
	<p>Finish</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>26 BLK Black</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>20 GLD M Gold Matt</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>CUSTOM</div> </div> </div>



Code	Composition includes
<div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div> <p>L120.6A</p> <p>glass with cap</p> </div> </div>	<p>1 linear canopy 113743XX7</p> <p>1 stem 652mm 113743XX1</p> <p>3 stems 812mm 113743XX2</p> <p>2 stems 972mm 113743XX3</p> <p>6 glass shades with cap 113743XX0</p> <p>1 driver 671000049 / Dimmable 1-10V</p>
	<p>Finish</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>26 BLK Black</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>20 GLD M Gold Matt</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 15px; height: 15px; background-color: #ccc; margin-right: 5px;"></div> <div>CUSTOM</div> </div> </div>

