

FLOS

Hide S, White - Specification Sheet by Philippe Starck, 2011

Mounting	Wall Surface
Lamp (Bulb) Description	1 x FLAT PANEL 3000K 656lm CRI 80 - 10 W
Environment	Indoor - Damp Location
Dimming	Not dimmable
Finish	White
Technical and Product Description	HIDE S indirect-light wall lamp. Body in presso-fused aluminum, with shiny finish. Injection printed diffuser in photo engraved PMMA. Optional enhancer trims available in various versions: colored PMMA, panels with a choice between noble wood, metal or photographic images. Injection printed wall attachment in PA66. Power pack built into the wall attachment. Lighting is by means of a specially designed Light Guide, providing an optimally oriented light flow that affords unrivaled lighting comfort. The efficiency of this innovative lighting system, of 98and#37;, means that the LEDs can be used at full power with no significant energy loss. Non-dimmable.



○ FU002009 - do not use White


Electrical

Voltage	120
Switching	NA
IP Rating	IP20


Physical

Construction Material	Aluminum, PMMA
Weight	1.1 lbs

Dimensional Image



Certifications



FLOS

Hide S, Black - Specification Sheet by Philippe Starck, 2011

Mounting	Wall
Lamp (Bulb) Description	1 x FLAT PANEL 3000K 656lm CRI 80 - 10 W
Environment	Indoor - Damp Location
Dimming	Not dimmable
Finish	Black
Technical and Product Description	HIDE S indirect-light wall lamp. Body in presso-fused aluminum, with shiny finish. Injection printed diffuser in photo engraved PMMA. Optional enhancer trims available in various versions: colored PMMA, panels with a choice between noble wood, metal or photographic images. Injection printed wall attachment in PA66. Power pack built into the wall attachment. Lighting is by means of a specially designed Light Guide, providing an optimally oriented light flow that affords unrivaled lighting comfort. The efficiency of this innovative lighting system, of 98and#37;, means that the LEDs can be used at full power with no significant energy loss. Non-dimmable.



● FU002030 Black

Electrical


Voltage	120
Switching	NA
IP Rating	IP20

Physical

Construction Material	Aluminum, PMMA
-----------------------	----------------



Dimensional Image



Certifications



ADA

FLOS

Hide S, White - Specification Sheet by Philippe Starck, 2011

Mounting	Wall Surface
Lamp (Bulb) Description	1 x FLAT PANEL 3000K 656lm CRI 80 - 10 W
Environment	Indoor - Damp Location
Dimming	Not dimmable
Finish	White/Black
Technical and Product Description	HIDE S indirect-light wall lamp. Body in presso-fused aluminum, with shiny finish. Injection printed diffuser in photo engraved PMMA. Optional enhancer trims available in various versions: colored PMMA, panels with a choice between noble wood, metal or photographic images. Injection printed wall attachment in PA66. Power pack built into the wall attachment. Lighting is by means of a specially designed Light Guide, providing an optimally oriented light flow that affords unrivaled lighting comfort. The efficiency of this innovative lighting system, of 98and#37;, means that the LEDs can be used at full power with no significant energy loss. Non-dimmable.



FU002099 White/Black


Electrical

Voltage	120
Switching	NA
IP Rating	IP20

Physical

Construction Material	Aluminum, PMMA
Weight	1.1 lbs

Dimensional Image



Certifications



FLOS

Hide S (trim only), Aluminized Silver - Specification Sheet by Philippe Starck, 2011

Mounting	Wall
Lamp (Bulb) Description	NA
Environment	Indoor - Damp Location
Finish	Aluminized Silver
Technical and Product Description	HIDE S TRIM decorative trim available in 4 finishes.

Electrical

Voltage	12
Switching	NA


Physical

Construction Material	Aluminum, PMMA
-----------------------	----------------



F0023054 Aluminized Silver

Dimensional Image



Certifications

ADA



FLOS

Hide S (trim only), Bronze - Specification Sheet by Philippe Starck, 2011

Mounting	Wall
Lamp (Bulb) Description	NA
Environment	Indoor - Damp Location
Finish	Bronze
Technical and Product Description	HIDE S TRIM decorative trim available in 4 finishes. NOTE: This items is the decorative trim ONLY and requires the HIDE to complete the fixture. Please contact Customer Service for details.

Electrical

Voltage	12
Switching	NA


Physical

Construction Material	Aluminum, PMMA
-----------------------	----------------



● F0023046 Bronze

Dimensional Image



Certifications

ADA



FLOS

Hide S (trim only), Photo - Specification Sheet by Philippe Starck, 2011

Mounting	Wall
Lamp (Bulb) Description	NA
Environment	Indoor - Damp Location
Finish	Photo
Technical and Product Description	HIDE S TRIM decorative trim available in 4 finishes.


Electrical

Voltage	12
Switching	NA


Physical

Construction Material	Aluminum, PMMA
-----------------------	----------------



 F0023000 Photo

Dimensional Image



Certifications

ADA

FLOS

Hide S (trim only), Wood - Specification Sheet by Philippe Starck, 2011

Mounting	Wall
Lamp (Bulb) Description	NA
Environment	Indoor - Damp Location
Finish	Wood
Technical and Product Description	HIDE S TRIM decorative trim available in 4 finishes.

Electrical

Voltage	12
Switching	NA


Physical

Construction Material	Aluminum, PMMA
-----------------------	----------------



● F0023068 Wood

Dimensional Image



Certifications

ADA

