## lambert&fils



### PARC 02

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

type: pendant

construction: hand blown frosted glass

powder coated aluminum body

polyester cord

specifications: source: LED lamp provided (G9 base)

power consumption: 4,5W lumen output: 319Im

colour temperature: 2700K included \*3000K available upon request

colour rendering index: 80 CRI standard

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305

sales@illumco.com

404.876.1064


\* ≥ 90 CRI upon request expected lifetime: 25 000h

control: refer to our recommended list of dimmer models

**cord length:** 96" / 244 cm **weight:** 3.5lb / 1.6kg

certifications: ( ( KoHS ( IP20

warranty: 2 years



# lambert&fils


## **ORDER GUIDE: SKU**

COLLECTION	MODEL	POSITION	BODY	CORD	CANOPY AND ANCHOR
PRC parc	02	<b>A</b> anchor	<b>BK</b> black	<b>BK</b> black	<b>BK</b> black
		NA no anch	nor <b>MB</b> midnight blue	MB midnight blue	MB midnight blue
			<b>BE</b> blue	<b>BE</b> blue	<b>BE</b> blue
			<b>WH</b> white	WH white	WH white
			<b>BG</b> beige	<b>BG</b> beige	<b>BG</b> beige
			<b>BU</b> burgundy	<b>BU</b> burgundy	<b>BU</b> burgundy
			<b>GN</b> green	<b>GN</b> green	<b>GN</b> green
			TC terracotta		TC terracotta
PRC	02	Α	ВК	ВК	BK = PRC02ABKBKBK example



#### NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- ${\mathord{\text{--}}}$  additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## lambert&fils

### **DIMMER SPECIFICATIONS**

### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V**

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND MODEL NUMBER MIN LEVEL MAX LEVEL FLICKERING	
LUTRON - MAESTRO MAELV-600 0% 100% 0%-10%   LUTRON - SKYLARK SELV-300P 0% 100% no   LUTRON - SKYLARK SELV-303P 0% 100% no   LUTRON - SKYLARK CTELV-303P 0% 100% no   LUTRON - DIVA DVELV-300P 0% 100% no   LEGRAND - ADORNE TRUE UNIVERSAL 30% 100% no	good very good very good very good very good good

#### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V**

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

<sup>\*</sup>Other dimmers can yield good results and we recommend conducting your own test before final installation.

### **EU ENERGY LABEL**

