# lambert&fils



## PARC 05

Parc is a collection inspired by childhood imagination and the essentiality of homemade forms — created in collaboration with Swiss designer Adrien Rovero. Evoking the archetype of a flashlight, each lamp of the Parc Collection is a playful reminder of time spent in nature, when a simple tube and piece of string could be used to fashion any number of creations. These makeshift things, at once naive and functional, harness the unique beauty of peeling an object back to its essence.

type: floor

**construction:** hand blown frosted glass

powder coated aluminum body

vinyl cord

specifications: source: LED lamp provided (G9 base)

power consumption: 3x 4,5W

lumen output: 957lm

colour temperature: 2700K included \*3000K available upon request colour rendering index: 80 CRI standard

\* ≥ 90 CRI upon request

expected lifetime: 25 000h

**control:** refer to our recommended list of dimmer models

**cord length:** 132" / 335 cm


foot switch at 60" / 152 cm from lamp

404.876.1064

sales@illumco.com

**weight:** 27.1lb / 12.3kg


warranty: 2 years



# lambert&fils

# **ORDER GUIDE: SKU**

| COLLECTION |      | MODEL | BODY   |               | CORD |   |       |   |
|------------|------|-------|--------|---------------|------|---|-------|---|
| PRC        | parc | 05    | вк     | black         | В    | < | blac  | k |
|            |      |       | МВ     | midnight blue | W    | Н | white | е |
|            |      |       | BE     | blue          |      |   |       |   |
|            |      |       | WH     | white         |      |   |       |   |
|            |      |       | BG     | beige         |      |   |       |   |
|            |      |       | BU     | burgundy      |      |   |       |   |
|            |      |       | GN     | green         |      |   |       |   |
|            |      |       | TC<br> | terracotta    |      |   |       |   |
| PRC        |      | 05    | ВК     |               | В    | K | =     | F |



#### FINISH (\*polyester cords also available in all colours upon request, except terracotta)



<sup>\*</sup> cords only available in black or white in Australia

### NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions

# lambert&fils

## **DIMMER SPECIFICATIONS**

#### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V**

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

| DIMMER BRAND  | MODEL NUMBER  | MIN LEVEL                         | MAX LEVEL                                    | FLICKERING                     | OVERALL QUOTE  |
|---|---|-----------------------------------|--|--------------------------------|--|
| LUTRON - MAESTRO<br>LUTRON - SKYLARK<br>LUTRON - SKYLARK<br>LUTRON - SKYLARK<br>LUTRON - DIVA<br>LEGRAND - ADORNE | MAELV-600<br>SELV-300P<br>SELV-303P<br>CTELV-303P<br>DVELV-300P<br>TRUE UNIVERSAL | 0%<br>0%<br>0%<br>0%<br>0%<br>30% | 100%<br>100%<br>100%<br>100%<br>100%<br>100% | 0%-10%<br>no<br>no<br>no<br>no | good<br>very good<br>very good<br>very good<br>very good<br>good |

#### **DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V**

| DIMMER BRAND    | MODEL NUMBER | MIN LEVEL | MAX LEVEL | FLICKERING | OVERALL QUOTE |
|-----------------|--------------|-----------|-----------|------------|---------------|
| VARILIGHT       | V-PRO        | 2%        | 100%      | no         | very good     |
| LEGRAND - NILOÉ | 3 996 35     | 15%       | 87%       | no         | good          |
| NIKO            | 310-0280X    | 5%        | 94%       | no         | very good     |
| NIKO            | 310-0190X    | 1%        | 100%      | no         | very good     |

<sup>\*</sup>Other dimmers can yield good results and we recommend conducting your own test before final installation.

## **EU ENERGY LABEL**

