lambert&fils

WALDORF SUSPENSION TRIPLE



suspension type

powder coated steel materials shade:

& aluminium

body: powder coated aluminium

sphere: milk glass (G60)

hardware: brass

powder coated steel canopy:

24" 28" 32" 36" total height 610 mm | 711 mm | 813 mm | 914 mm | 1067 mm | 1372 mm

min. 4.8 lb / 2.2 kg - max. 5.1 lb / 2.3 kg weight

light bulb LED (included), 3x 4.5W

G9 sockets

120V / 240V voltage

refer to our recommended list of dimmer models dimmer


certifications

- must be installed by an electrician; notes

– additional charges for modifications or for special orders;

lead time between 7-9 weeks;

- dimensions are approximate and may vary






lambert&fils

ORDER GUIDE: SKU


COLLECTION	MODEL	FINISH (shade and body, hardware)	HEIGHT
WAL waldorf	rf 07	BLBR black shade and body, brass hardware	A 24" / 610 mm
		brass naraware	B 28" / 711 mm
		BLGR black shade and body, graphite hardware	C 32" / 813 mm
		WHBR white shade and body,	D 36" / 914 mm
		brass hardware	E 42" / 1067 mm
			F 54" / 1372 mm
			V custom
WAL	07	BLBR	A = WALO7BLBRA example

FINISH



CANOPY swivel option for slanted ceiling






lambert&fils

LIGHT BULB & DIMMER SPECIFICATIONS

G9 SOCKETS

SPHERES



Frosted 4.5W 100V-120V / 240V 450 Lumens 2700 K 25 000 H CRI ≥80 2 years warranty



G60 Ø ± 2" / 60 mm





DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MAX LEVEL	MIN LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V

DIMMER BRAND	MODEL NUMBER	MAX LEVEL	MIN LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

^{*}Other dimmers can yield good results and we recommend conducting your own test before final installation.

