LZF

LARGE WALL, CEILING / **Gea LED**
by Mariví Calvo

References

G42 A LED DIM UL

Certificates

c UL us

120 - 277V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

REF. G42 A LED 29
Gea Large

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

kg

Box size
51 x 51 x 32 cm

Box volume
0,083 m^3

Weight
Gross - 3,9 Kg
Net - 1,5 Kg



LED

Linear Module
16 x 3,15 W 250mA
2700 K / 4000 K

(Be sure to specify the LED color temperature)

INFO **Driver**

EFORE
1 unit - Ref. RCL030-0500A

Compatible with TRIAC / ELV (only 120V) and 0-10V (120-277V)

Details

Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	20 W	2700 K 4000 K	1404 lm 1598 lm	90	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

Gea / LARGE WALL, CEILING

by Mariví Calvo

REF. G20 A 29, G30 A 29 & **G42 A 29**
Gea Small, Medium & **Large**



References

G42 A GU24 UL
G42 A GX53 UL

Certificates

120V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

Box size
20 x 20 x 13"

Box volume
2,9 ft^3

Weight
Gross - 9,3 Lb
Net - 4 Lb

Recommended bulbs (Included)

120V
GU24

CFL Slim spiral
1 x 13 W max

120V
GX53

LED Slim lamp
1 x 6 W max

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

lzf

MEDIUM WALL, CEILING / **Gea LED**
by Mariví Calvo

References

G30 A LED DIM UL

Certificates

c UL us

120 - 277V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- **20** Ivory White
- **21** Natural Cherry
- **22** Natural Beech
- **24** Yellow
- **25** Orange
- **26** Red
- **28** Blue
- **29** Grey
- **30** Turquoise
- **31** Chocolate
- **32** Pink

REF. G20 A LED 29, **G30 A LED 29** & G42 A LED 29
Gea Small, **Medium** & Large

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

lb

Box size
16 x 16 x 11"

Box volume
1,6 ft³

Weight
Gross - 5,3 Lb
Net - 2 Lb



LED

Linear Module
6 x 3,15 W 250mA
2700 K / 4000 K

(Be sure to specify the LED color temperature)

INFO **Driver**

EFORE
1 unit - Ref. RCL020-0500A

Compatible with TRIAC / ELV (only 120V) and 0-10V (120-277V)

Details

Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	17 W	2700 K 4000 K	1053 lm 1198 lm	90	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

Gea / MEDIUM WALL, CEILING

by Mariví Calvo

REF. G20 A 26, **G30 A 24,25, 26**, G42 A 24,25
Gea Small, **Medium** & Large



References

G30 A GU24 UL
G30 A GX53 UL

Certificates

120V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- 20 Ivory White
- 21 Natural Cherry
- 22 Natural Beech
- 24 Yellow
- 25 Orange
- 26 Red
- 28 Blue
- 29 Grey
- 30 Turquoise
- 31 Chocolate
- 32 Pink

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

lb

Box size
16 x 16 x 11"

Box volume
1,6 ft^3

Weight
Gross - 5,3 Lb
Net - 2 Lb

Recommended bulbs (Included)

120V
GU24

CFL Slim spiral
1 x 13 W max

120V
GX53

LED Slim lamp
1 x 6 W max

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

lzf

SMALL WALL, CEILING / **Gea LED**
by Mariví Calvo

References

G20 A LED DIM UL

Certificates

c UL us

120 - 277V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- **20** Ivory White
- **21** Natural Cherry
- **22** Natural Beech
- **24** Yellow
- **25** Orange
- **26** Red
- **28** Blue
- **29** Grey
- **30** Turquoise
- **31** Chocolate
- **32** Pink

REF. G20 A LED 29, G30 A LED 29 & G42 A LED 29
Gea Small, Medium & Large

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

lb

Box size
9 x 9 x 17"

Box volume
0,9 ft³

Weight
Gross - 2,6 Lb
Net - 1,3 Lb



LED

Linear Module
4 x 3,15 W 250mA
2700 K / 4000 K

(Be sure to specify the LED color temperature)

INFO **Driver**

EFORE
1 unit - Ref. RCL010-0250A

Compatible with TRIAC / ELV (only 120V) and 0-10V (120-277V)

Details

Input Voltage	Watt.	CCT	Luminous Flux *	CRI	Lifetime (L70)
120 - 277V	12 W	2700 K 4000 K	702 lm 799 lm	90	40000h

* Measurements taken using white shades, Veneer Ref: 20 Ivory White

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com

Gea / SMALL WALL, CEILING

by Mariví Calvo

REF. G20 A 26, G30 A 25, G42 A 27 & G2 A 27
Gea Small, Large & Medium / Small Guijarro



References

G20 A GU24 UL
G20 A GX53 UL

Certificates

120V

ADA Compliant

FSC
www.fsc.org
FSC® C110841
The mark of responsible forestry

Wood shade colors

- **20** Ivory White
- **21** Natural Cherry
- **22** Natural Beech
- **24** Yellow
- **25** Orange
- **26** Red
- **28** Blue
- **29** Grey
- **30** Turquoise
- **31** Chocolate
- **32** Pink

Components

DIFF

Frontal diffuser
Matt satin acrylic

Back plate
White metal enamel

Packaging

lb

Box size
9 x 9 x 17"

Box volume
0,9 ft^3

Weight
Gross - 2,6 Lb
Net - 1,3 Lb

Recommended bulbs (Included)

120V
GU24

CFL Slim spiral
1 x 13 W max

120V
GX53

LED Slim lamp
1 x 6 W max

illuminations
425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305
404.876.1064 sales@illumco.com