


804S – Low-Profile Recessed LED

FEATURES

- 4" overall height
- IC / Airtight / Chicago Plenum rated
- Tested and rated for direct contact with closed-cell spray-foam insulation
- Fourteen Dimming Driver options
- Accepts **J2S** 0-45° adjustable accent and wall wash* (*with optional WW-8 accessory), **K2S** fixed position, or **M2S** 45-90° adjustable mirror reflector lamp modules
- Five LED options: **HI** 3000K, **HI-2** 3000K, **WD** 3000-1800K, **WD-2** 2800-2200K, and **TW** 4700-2200K
- Four beam spread options: 10°, 15°, 25°, and 40°
- Five interchangeable beam enhancing lenses
- Three interchangeable color filtering lenses
- Accepts all **800 Series** trims
- 2019 CA JA8 Compliant



804S – RECESSED LED HOUSING



J2S – LED ADJUSTABLE



K2S – LED FIXED POSITION



M2S – LED MIRROR REFLECTOR

804S-SINGLE LAMP PERFORMANCE SUMMARY

LED:	HI	HI-2	WD	WD-2	TW
Correlated Color Temperature:	3000K	3000K	3000 - 1800K	2800 - 2200K	4700 - 2200K
Color Rendering Index:	92+	93+	97+	95+	92+
Delivered Lumens:	596 – 1144	854 - 1087	474 - 905	460 - 878	714 - 1133
Wattage:	15.0 - 20.7	14.0 - 14.2	14.3 - 14.8	14.3 - 14.8	14.6
Delivered Lumens Per Watt:	37 – 70	60 – 76	32 – 62	31 – 61	49 - 78

Performance summary for J2S, K2S, and M2S Lamp Modules. TW LED Option available with J2S Lamp Module only.



526 Portal Street
Cotati, CA 94931
USA
P 707.794.0888
F 707.795-4379
www.8lighting.com

All No. 8 Lighting fixtures and components are UL/CSA listed. No. 8 Lighting trims and lamp modules are protected by one or more U.S. Patents. No. 8 Lighting reserves the right to change details of design, materials, and finish.


© 2022 No. 8 Lighting




800 Series – Trim Packages

FEATURES


- Round and Square
- Flanged and Flangeless
- Minimal 1-3/4" and 2-3/4" apertures
- Dry, Damp, and Wet Listed
- Compatible with all Number Eight Lighting **800 Series** housings
- Available in five desinger finishes:



WHITE



POLISHED NICKEL



SATIN NICKEL




OIL-RUBBED BRONZE




BLACK

P-Series – Plaster/Sheetrock Ceiling Applications



W-Series – Flush - Wood/Stone Ceiling Applications



FL-W-Series – Wood/Stone/Acoustic Tile Ceiling Applications



526 Portal Street
Cotati, CA 94931
USA
P 707.794.0888
F 707.795-4379
www.8lighting.com

All No. 8 Lighting fixtures and components are UL/CSA listed. No. 8 Lighting trims and lamp modules are protected by one or more U.S. Patents. No. 8 Lighting reserves the right to change details of design, materials, and finish.

© 2022 No. 8 Lighting



804 – Recessed LED

FEATURES


- 5-1/2" overall height
- IC / Airtight / Chicago Plenum rated
- Tested and rated for direct contact with closed-cell spray-foam insulation
- Six Dimming Driver options
- Accepts **J2** 0-45° adjustable accent and wall wash* (*with optional WW-8 accessory) or **M2** 45-90° adjustable mirror reflector lamp modules
- Three beam spread options: 15°, 25°, and 40°
- Five interchangeable beam enhancing lenses
- Three interchangeable color filtering lenses
- Accepts all **800 Series** trims
- 2019 CA JA8 Compliant



804 – RECESSED LED HOUSING



J2 – LED ADJUSTABLE



M2 – LED MIRROR REFLECTOR

804-SINGLE LAMP PERFORMANCE SUMMARY

Lamp Module:	J2-HI	M2-HI
Correlated Color Temperature:	3000K	3000K
Color Rendering Index:	92+	92+
Delivered Lumens:	803 - 1117	755 - 944
Wattage:	20.5	20.7
Delivered Lumens Per Watt:	39 - 55	37 - 46



526 Portal Street
Cotati, CA 94931
USA
P 707.794.0888
F 707.795-4379
www.8lighting.com

All No. 8 Lighting fixtures and components are UL/CSA listed. No. 8 Lighting trims and lamp modules are protected by one or more U.S. Patents. No. 8 Lighting reserves the right to change details of design, materials, and finish.


© 2022 No. 8 Lighting




800 Series – Trim Packages

FEATURES


- Round and Square
- Flanged and Flangeless
- Minimal 1-3/4" and 2-3/4" apertures
- Dry, Damp, and Wet Listed
- Compatible with all Number Eight Lighting **800 Series** housings
- Available in five desinger finishes:



WHITE



POLISHED NICKEL



SATIN NICKEL




OIL-RUBBED BRONZE




BLACK

P-Series – Plaster/Sheetrock Ceiling Applications



W-Series – Flush - Wood/Stone Ceiling Applications



FL-W-Series – Wood/Stone/Acoustic Tile Ceiling Applications



526 Portal Street
Cotati, CA 94931
USA
P 707.794.0888
F 707.795-4379
www.8lighting.com

All No. 8 Lighting fixtures and components are UL/CSA listed. No. 8 Lighting trims and lamp modules are protected by one or more U.S. Patents. No. 8 Lighting reserves the right to change details of design, materials, and finish.

© 2022 No. 8 Lighting

