

## HeadHat Bowl

Santa & Cole Team. 2013  
Pendant lamps

  
SANTA & COLE



HeadHat Bowl S



A

HeadHat Bowl L



B



The shades in the HeadHat Bowl collection use a noble, artisan and opaque material with simple, conventional concave shapes allowing hi-tech lighting to be used, without being ostentatious, affording excellent results for lighting tables, reference areas or specific spots.

### General description:

Capsule with LED module, translucent white diffuser and heat sink with matte black finish.

2 lampshade options: white or black ceramic shade with matte finish interior and gloss exterior.

5 metal circular canopy options with power supply incorporated:

Not dimmable (CE Market): white or black surface-mounted canopy with matte finish.

Dimmable: white or black surface-mounted canopy with matte finish and power supply incorporated.

S&C LED capsule suitable with HeadLed System lampshades and Cirio structures.

Electric cable length: 3 m / 118.1" - 8 m / 315"

Suitable for Junction Box (UL market).

### Approximate weight (unpacked):

(A) HeadHat Bowl S: 1,1 kg / 2.4 lb

(B) HeadHat Bowl L: 1,6 kg / 3.5 lb

### Technical information:

Light source included.

Not dimmable (CE market):

Module of 4 LEDs

Rated input wattage: 3,7 W

Operating current: 350 mA

Colour Temp.: 2.700 K

CRI: 90

Lifetime: 40.000 h

Luminous flux: 416 lm

Dimmable:

Rated input wattage: 7,7 W

Operating current: 700 mA

Colour Temp.: 2.700 K

CRI: 90

Lifetime: 40.000 h

Luminous flux: 752 lm

Built-in dimmable LED.

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Energy efficiency class (E.E.C): A+... A.

Suitable only for indoor use.

Always use this light source.

Input voltage: 90 ~ 305 Vac.

(50 Hz / 60 Hz). According to destination.

Luminous performance with lampshade:  
84,1%

## HeadHat Bowl

Santa & Cole Team. 2013  
Pendant lamps

  
SANTA & COLE

### Regulations:

CE  
UNE-EN 60598  
UNE-EN 55015  
UNE-EN 62031  
UNE-EN 61000-3-2  
UNE-EN 60529  
UNE-EN 61347-2-13

UL

Dry location only  
UL-1598  
UL-8750  
E-336377

### Maintenance:


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

### Others:


The lamp is delivered in different packages.  
The assembly instructions are delivered with the product.

### Model A: HeadHat Bowl S

Surface canopy




Built-in canopy  
(CE Market)




### Model B: HeadHat Bowl L


Surface canopy




Built-in canopy  
(CE Market)




LED Capsule







Surface canopy



Built-in canopy (CE Market)



HeadHat Bowl Lampshades (S / L)



**Collection:**  
 Pendant lamps



HeadHat Bowl



HeadHat Plate