

# PILKE 28 PENDANT

Designed by Tuukka Halonen

2016 GREEN GOOD DESIGN AWARD

## DESIGN & INSPIRATION

The inspiration for the Pilke 28 came from traditional Finnish shingle work, but Tuukka Halonen upgraded the design to a modern structure made with today's state of the art technology. Repetition of plywood parts in right angle creates beautiful subtle friction to light. No glue or screws are used. Pilke is a unique, decorative light fixture, giving natural warm light through its wooden structure. The word Pilke is a Finnish word for Twinkle.

## LIGHT SOURCE



1 x E26 LED 15W MAX

Suggested Specs: A19 Frosted

> 90 CRI / 2700K / Dimmable

## SPECIFICATIONS & TECHNICAL NOTES

UL Listed

Made in Finland. Constructed in Birch Plywood

Mounts directly to a standard Junction box

Cable length max. 10' (field adjustable)

## PRODUCT CODES



Birch shade / White  
cable & canopy

SF.P2801



White shade / White  
cable & canopy

SF.P2805




Black shade / Black  
cable & canopy

SF.P2803



## DIAGRAM



uplight group.

Uplight Group, LLC 1835 NE Miami Gardens Dr. N. Miami Beach, FL 33179  
Tel. +1.305.621.9602 sales@uplightgroup.com www.uplightgroup.com

Fixture Type \_\_\_\_\_  
Project Name \_\_\_\_\_

 **illuminaations**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com

SHOWROOM  
FINLAND



 **illuminaTions**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 [sales@illumco.com](mailto:sales@illumco.com)

# PILKE 36 PENDANT

Designed by Tuukka Halonen  
2016 GREEN GOOD DESIGN AWARD

## DESIGN & INSPIRATION

The inspiration for the Pilke 36 came from traditional Finnish shingle work, but Tuukka Halonen upgraded the design to a modern structure made with today's state of the art technology. Repetition of plywood parts in right angle creates beautiful subtle friction to light. No glue or screws are used. Pilke is a unique, decorative light fixture, giving natural warm light through its wooden structure. The word Pilke is a Finnish word for Twinkle.

## LIGHT SOURCE



1 x E26 LED 15W MAX  
Suggested Specs: A19 Frosted  
> 90 CRI / 2700K / Dimmable

## SPECIFICATIONS & TECHNICAL NOTES

UL Listed

Made in Finland. Constructed in Birch Plywood

Mounts directly to a standard Junction box

Cable length max. 10' (field adjustable)

## PRODUCT CODES



Birch shade / White  
cable & canopy SF.P3601




White shade / White  
cable & canopy SF.P3605



Black shade / Black  
cable & canopy SF.P3603



## DIAGRAM



uplight group.

Uplight Group, LLC 1835 NE Miami Gardens Dr. N. Miami Beach, FL 33179  
Tel. +1.305.621.9602 sales@uplightgroup.com www.uplightgroup.com

Fixture Type \_\_\_\_\_  
Project Name \_\_\_\_\_

illuminaTions

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com

SHOWROOM  
FINLAND





 **illuminaitions**

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305  
404.876.1064 sales@illumco.com