



ULTRALIGHTS



below

PROFILES 11201-18

Base Specifications:


18"square x 6"h x 15" - 96"adj OAH
10: WRL - 2 x E26 - for LED retro 20W max ea
Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

| | | | | |
|----------|--------|----------|---------|---------|
| 11201-18 | | | | |
| MODEL | FINISH | DIFFUSER | LAMPING | VOLTAGE |

Note of Modifications



BA - Bronze Age
BK - Black
BP - Black Pearl
CB - Cast Bronze
CH - Chestnut
CR - Chrome
DI - Dark Iron
EB - Empire Bronze
MB - Medieval Bronze
NB - New Brass
SB - Smokey Brass
SP - Satin Pewter
SS - Smoked Silver

PREMIUM
ANI - Ancient Iron

OA - Opal Acrylic

PREMIUM
CO - Caramel Onyx
FA - Faux Alabaster
TS - Tea Stained
WS - White Swirl
BB - Bay Blue
MP - Majestic Purple
SG - Savannah Green
SO - Sunrise Orange
SR - Sunset Red

03: Incan - 2 x E26 - 60W max ea
04: LED - 10W
(Non-Dim or Dim w/ 0-10V Dim system)
1540 Lumens
10: WRL - 2 x E26 - for LED Retro
20W max ea

03: 120V
04: Universal
10: 120V



COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name
Specifier Location

Quantity



PROFILES 11201-24

Base Specifications:

24"square x 8"h x 17" - 96"adj OAH
 10: WRL - 4 x E26 - for LED retro 20W max ea
 Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

| | | | | |
|----------|--------|----------|---------|---------|
| 11201-24 | | | | |
| MODEL | FINISH | DIFFUSER | LAMPING | VOLTAGE |

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron

OA - Opal Acrylic

PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

03: Incan - 4 x E26 - 60W max ea
 04: LED - 25W
 (Non-Dim or Dim w/ 0-10V Dim system)
 3850 Lumens
 10: WRL - 4 x E26 - for LED Retro
 20W max ea



03: 120V
 04: Universal
 10: 120V

COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

| | | |
|--------------|--------------------------------------|----------|
| Project Name | Specifier Name Specifier Location | Quantity |
|--------------|--------------------------------------|----------|

ULTRALIGHTS



below

PROFILES 11201-36

Base Specifications:


36"square x 12"h x 25" - 96"adj OAH
 10: WRL - 8 x E26 - for LED retro 20W max ea
 Opal Acrylic Diffuser

Notes:

Stem or semi-flush mount available

| | | | | | | | | |
|-----------------|---|---------------|---|-----------------|---|----------------|---|----------------|
| 11201-36 | - | | - | | - | | - | |
| MODEL | | FINISH | | DIFFUSER | | LAMPING | | VOLTAGE |

Note of Modifications



BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron

OA - Opal Acrylic

PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

03: Incan - 8 x E26 - 60W max ea
 04: LED - 44.4W
 (Non-Dim or Dim w/ 0-10V Dim system)
 6960 Lumens
 10: WRL - 8 x E26 - for LED Retro
 20W max ea

03: 120V
 04: Universal
 10: 120V

COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name
 Specifier Location

Quantity