

## GENESIS 17391-24

### Base Specifications:

24" dia x 8"h x 14" - 96" adj OAH  
 10: WRL - 3 X E26 - for LED Retro 20W max ea  
 Opal Acrylic Bottom Diffuser  
 Cable hung\*

### Notes:

04 Lamping: Wattage and Lumens - Initial at the source, no black power cord

<b>17391-24</b>			
<b>MODEL</b>	<b>FINISH</b>	<b>DIFFUSER</b>	<b>LAMPING</b>

#### \*Modifications:

- Cable hung (Standard)
- Stem mount: \_\_\_\_ OAH
- Semi-flush mount (1" - 1.5" from ceiling to top of fixture)
- Top diffuser (LED only)

#### Other Modifications:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl

- 03: Dry / Damp Loc Incan - 3 x E26 - 60W max ea - 120V
- 04: Dry / Damp LED - 46.9W - 7223 Lumens  
 No Black Power Cord
  - (Dim w/ Std Phase Dim) - 120V
  - (Non-Dim or Dim w/ 0-10V Dim system) Universal
- 10: WRL - 3 x E26 - for LED Retro 20W max ea - 120V


#### COLOR TEMPERATURE / CRI

- 3000K (Standard) - CRI available upon request
- 2700K - CRI available upon request
- 3500K - CRI available upon request
- 4000K - CRI available upon request


Project Name: \_\_\_\_\_  
 Project Location: \_\_\_\_\_

Specifier Name: \_\_\_\_\_  
 Specifier Location: \_\_\_\_\_


Quantity: \_\_\_\_\_  
 Fixture Type: \_\_\_\_\_



side



below



## GENESIS 17391-30

### Base Specifications:

30" dia x 8"h x 14" - 96" adj OAH  
 10: WRL - 3 X E26 - for LED Retro 20W max ea  
 Opal Acrylic Bottom Diffuser  
 Cable hung\*

### Notes:

04 Lamping: Wattage and Lumens - Initial at the source, no black power cord

<b>17391-30</b>	-	-	-
<b>MODEL</b>	<b>FINISH</b>	<b>DIFFUSER</b>	<b>LAMPING</b>

#### \*Modifications:

- Cable hung (Standard)
- Stem mount: \_\_\_\_ OAH
- Semi-flush mount (1" - 1.5" from ceiling to top of fixture)
- Top diffuser (LED only)

#### Other Modifications:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl

- 03: Dry / Damp Loc Incan - 3 x E26 - 60W max ea - 120V
- 04: Dry / Damp LED - 46.9W - 7223 Lumens  
 No Black Power Cord
  - (Dim w/ Std Phase Dim) - 120V
  - (Non-Dim or Dim w/ 0-10V Dim system) Universal
- 10: WRL - 3 x E26 - for LED Retro 20W max ea - 120V


#### COLOR TEMPERATURE / CRI

- 3000K (Standard) - CRI available upon request
- 2700K - CRI available upon request
- 3500K - CRI available upon request
- 4000K - CRI available upon request


Project Name:  
Project Location:

Specifier Name:  
Specifier Location:

Quantity:  
Fixture Type:



side



below



## GENESIS 17391-36

### Base Specifications:

36" dia x 8"h x 14" - 96" adj OAH  
 10: WRL - 6 X E26 - for LED retro 20W max ea  
 Opal Acrylic Bottom Diffuser  
 Cable hung\*

### Notes:

04 Lamping: Wattage and Lumens - Initial at the source, no black power cord

<b>17391-36</b>	-	-	-
<b>MODEL</b>	<b>FINISH</b>	<b>DIFFUSER</b>	<b>LAMPING</b>

#### \*Modifications:

- Cable hung (Standard)
- Stem mount: \_\_\_\_ OAH
- Semi-flush mount (1" - 1.5" from ceiling to top of fixture)
- Top diffuser (LED only)

#### Other Modifications:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl

- 03: Dry / Damp Loc Incan - 6 x E26 - 60W max ea - 120V
- 04: Dry / Damp LED - 82.6W - 12,968 Lumens  
 No Black Power Cord
  - (Dim w/ Std Phase Dim) - 120V
  - (Non-Dim or Dim w/ 0-10V Dim system) Universal
- 10: WRL - 6 x E26 - for LED Retro 20W max ea - 120V


#### COLOR TEMPERATURE / CRI

- 3000K (Standard) - CRI available upon request
- 2700K - CRI available upon request
- 3500K - CRI available upon request
- 4000K - CRI available upon request


Project Name:  
Project Location:

Specifier Name:  
Specifier Location:


Quantity:  
Fixture Type:



side



below



## GENESIS 17391-48

### Base Specifications:

48" dia x 8"h x 14" - 96" adj OAH  
 10: WRL - 6 X E26 - for LED Retro 20W max ea  
 Opal Acrylic Bottom Diffuser  
 Cable hung\*

### Notes:

04 Lamping: Wattage and Lumens - Initial at the source, no black power cord

<b>17391-48</b>			
<b>MODEL</b>	<b>FINISH</b>	<b>DIFFUSER</b>	<b>LAMPING</b>

#### \*Modifications:

- Cable hung (Standard)
- Stem mount: \_\_\_ OAH
- Semi-flush mount (1" - 1.5" from ceiling to top of fixture)
- Top diffuser (LED only)

#### Other Modifications:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl

- 03: Dry / Damp Loc Incan - 6 x E26 - 60W max ea - 120V
- 04: Dry / Damp LED - 82.6W - 12,968 Lumens  
 No Black Power Cord
  - (Dim w/ Std Phase Dim) - 120V
  - (Non-Dim or Dim w/ 0-10V Dim system) Universal
- 10: WRL - 6 x E26 - for LED Retro 20W max ea - 120V

#### COLOR TEMPERATURE / CRI

- 3000K (Standard) - CRI available upon request
- 2700K - CRI available upon request
- 3500K - CRI available upon request
- 4000K - CRI available upon request

Project Name:  
Project Location:

Specifier Name:  
Specifier Location:

Quantity:  
Fixture Type: