



Boks 22477-14

project name:	<input type="text"/>
project location:	<input type="text"/>
specifier name:	<input type="text"/>
specifier location:	<input type="text"/>
quantity:	<input type="text"/>
fixture type:	<input type="text"/>


modifications:

Base Specs

14"h x 14"w x 4"d
Opal Acrylic Internal Diffuser

Multiple Sizes Available

22477-14 | 14"h x 14"w x 4"d
22477-18 | 18"h x 18"w x 4"d





Boks 22477-14

standard finish:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

lampping:

04: 26.24w Integrated LED, 4428 Initial Lumens, 3000K, 90 CRI, 120V-277V, 0-10V Dimming, UL/cUL Dry/Damp

standard diffuser:

- OA - Opal Acrylic





Boks 22477-18

project name:	
project location:	
specifier name:	
specifier location:	
quantity:	
fixture type:	



modifications:

Base Specs

18"h x 18"w x 4"d
Opal Acrylic Internal Diffuser

Multiple Sizes Available

22477-14 | 14"h x 14"w x 4"d
22477-18 | 18"h x 18"w x 4"d





Boks 22477-18

standard finish:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

lampping:

04: 34.56w Integrated LED, 5832 Initial Lumens, 3000K, 90 CRI, 120V-277V, 0-10V Dimming, UL/cUL Dry/Damp

standard diffuser:

- OA - Opal Acrylic

