



Boks 22479-36

project name:

project location:

specifier name:

specifier location:

quantity:

fixture type:


modifications:

Base Specs

36"dia x 3"h x 22"-96"OAH
 Opal Acrylic Internal Diffuser
 Cable Hung

Multiple Sizes Available

22479-36 | 36"dia x 3"h x 22"- 96"adj OAH
 22479-48 | 48"dia x 3.5"h x 22"- 96"adj OAH





Boks 22479-36

standard finish:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

lamping:


04: 70.4w Integrated LED, 11801 Initial Lumens, 3000K, 90 CRI, 120V-277V, 0-10V Dimming, UL/cUL Dry/Damp

standard diffuser:

- OA - Opal Acrylic

mounting:

Sloped Ceiling Adaptable - ~~\$~~ **Inquire**





Boks 22479-48

project name:

project location:

specifier name:

specifier location:

quantity:

fixture type:


modifications:

Base Specs

48"dia x 3.5"h x 22-96"OAH
 Opal Acrylic Internal Diffuser
 Cable Hung

Multiple Sizes Available

22479-36 | 36"dia x 3"h x 22"- 96"adj OAH
 22479-48 | 48"dia x 3.5"h x 22"- 96"adj OAH





Boks 22479-48

standard finish:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

lamping:

04: 93.7w Integrated LED, 15391 Initial Lumens, 3000K, 90 CRI, 120V-277V, 0-10V Dimming, UL/cUL Dry/Damp

standard diffuser:

- OA - Opal Acrylic

mounting:

Sloped Ceiling Adaptable - ~~\$~~ **Inquire**

