

CLASSICS 9133

Base Specifications:

13.75"h x 7.75"w x 5.75"d

01: Wet Loc - Incan - 1 x E26 - 60W max

Opal Acrylic Diffuser

Notes:

Horizontal mounting available

9133				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron
 BCP - Burlled Copper Plate
 RCU - Raw Copper Unfinished

OA - Opal
 PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

01: Wet Loc - Incan - 1 x E26
 60W max
 02: Wet Loc - LED - 8.4W
 (Std Phase Dim) - 1181 Lumens
 03: Incan - 1 x E26 - 60W max
 04: LED - 7.4W
 (Non-Dim or Dim w/ 0-10V Dim system)
 1160 Lumens
 10: WRL - 1 x E26 - for LED Retro
 20W max

01: 120V
 02: 120V
 03: 120V
 04: Universal
 10: 120V

COLOR TEMPERATURE


- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name
Specifier Location

Quantity

ULTRALIGHTS



CLASSICS 9133L10

Base Specifications:

9.75" h x 7.75" w x 5.75" d

01: Wet Loc - Incan - 1 x E26 - 60W max

Opal Acrylic Diffuser

9133L10				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

Note of Modifications

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- PREMIUM
- ANI - Ancient Iron
 - BCP - Burlled Copper Plate
 - RCU - Raw Copper Unfinished

- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl
- BB - Bay Blue
- MP - Majestic Purple
- SG - Savannah Green
- SO - Sunrise Orange
- SR - Sunset Red

- 01: Wet Loc - Incan - 1 x E26
60W max
- 02: Wet Loc - LED - 8.4W
(Std Phase Dim) - 1181 Lumens
- 03: Incan - 1 x E26 - 60W max
- 04: LED - 5W
(Non-Dim or Dim w/ 0-10V Dim system)
770 Lumens
- 10: WRL - 1 x E26 - for LED Retro
20W max

- 01: 120V
- 02: 120V
- 03: 120V
- 04: Universal
- 10: 120V


COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name	Specifier Name Specifier Location	Quantity
--------------	--------------------------------------	----------

WWW.ULTRALIGHTSLIGHTING.COM





CLASSICS 9133L18

Base Specifications:

17.75" h x 7.75" w x 5.75" d

01: Wet Loc - Incan - 2 x E26 - 60W max ea
Opal Acrylic Diffuser

Notes:

Horizontal / Vertical mount available*

02 / 04 Lamping: Lumens (Actual) at the source



9133L18	-	-	-
MODEL	FINISH	DIFFUSER	LAMPING

*Modifications:

- Top diffuser (LED only)
- Bottom diffuser

Other Modifications:

- BA - Bronze Age
- BK - Black
- BP - Black Pearl
- CB - Cast Bronze
- CH - Chestnut
- CR - Chrome
- DI - Dark Iron
- EB - Empire Bronze
- MB - Medieval Bronze
- NB - New Brass
- SB - Smokey Brass
- SP - Satin Pewter
- SS - Smoked Silver

- PREMIUM
- ANI - Ancient Iron
- BCP - Burled Copper
- RCU - Raw Copper Unfinished


- OA - Opal
- PREMIUM
- CO - Caramel Onyx
- FA - Faux Alabaster
- TS - Tea Stained
- WS - White Swirl

- 01: Wet Loc Incan - 2 x E26 - 60W max ea - 120V
- 02: Wet Loc - LED - 8.4W - 1181 Lumens
 - (Dim w/ Std Phase Dim) - 120V
 - (Non-Dim or Dim w/ 0-10V Dim system) Universal
- 03: Damp / Dry Loc Incan - 2 x E26 - 60W max ea - 120V
- 04: Damp / Dry LED - 7.4W - 1160 Lumens (Non-Dim or Dim w/ 0-10V Dim system) - Universal
- 10: WRL - 2 x E26 - for LED Retro 20W max ea - 120V
- EM: Emergency Pack - Universal

COLOR TEMPERATURE / CRI

- 3000K (Standard) - CRI available upon request
- 2700K - CRI available upon request
- 3500K - CRI available upon request
- 4000K - CRI available upon request

Project Name	Specifier Name Specifier Location	Quantity
--------------	--------------------------------------	----------



CLASSICS 9133L24

Base Specifications:

23.75"h x 7.75"w x 5.75"d

01: Wet Loc - Incan - 2 x E26 - 60W max ea

Opal Acrylic Diffuser

Notes:

Horizontal mounting available

9133L24				
MODEL	FINISH	DIFFUSER	LAMPING	VOLTAGE

Note of Modifications

BA - Bronze Age
 BK - Black
 BP - Black Pearl
 CB - Cast Bronze
 CH - Chestnut
 CR - Chrome
 DI - Dark Iron
 EB - Empire Bronze
 MB - Medieval Bronze
 NB - New Brass
 SB - Smokey Brass
 SP - Satin Pewter
 SS - Smoked Silver

PREMIUM
 ANI - Ancient Iron
 BCP - Burlled Copper Plate
 RCU - Raw Copper Unfinished

OA - Opal

 PREMIUM
 CO - Caramel Onyx
 FA - Faux Alabaster
 TS - Tea Stained
 WS - White Swirl
 BB - Bay Blue
 MP - Majestic Purple
 SG - Savannah Green
 SO - Sunrise Orange
 SR - Sunset Red

01: Wet Loc - Incan - 2 x E26
 60W max ea
 02: Wet Loc - LED - 16.8W
 (Std Phase Dim) - 2362 Lumens
 03: Incan - 2 x E26 - 60W max
 04: LED - 14.8W
 (Non-Dim or Dim w/ 0-10V Dim system)
 2320 Lumens
 10: WRL - 2 x E26 - for LED Retro
 20W max
 EM: Emercengy Pack

01: 120V
 02: 120V
 03: 120V
 04: Universal
 10: 120V
 EM: Universal

COLOR TEMPERATURE

- 3000K (Standard)
- 2700K
- 3500K
- 4000K

Project Name

Specifier Name
Specifier Location

Quantity