

BAMBOO

Design by Antoni Arola & Enric Rodriguez.

VIBIA

Reference

4803.

Application

Outdoor

Installation type

Recessed

Description

Bamboo is an outdoor beacon with two finishes that make it possible to camouflage and integrate it into the landscape, with the added surprise that it produces light. Available in khaki, and oxide. Designed by Antoni Arola & Enric Rodriguez.

Diffuser

PMMA diffuser

Materials

Body: Resin + fiberglass


Diffuser: Acrylic

Finishes

 **4803-07** Khaki (RAL 7006)

 **4803-54** Oxide (RAL 8017)


Sketch



Electrical characteristics

2 x LED 2.1W 700mA

Total 4.2 W



Light source: 2700K CRI >80 399 lm 95 lm/W

Fixture: 92 lm 22 lm/W

Driver included: CC - Constant Current 700 mA 100-240V 50/60Hz

Electronic dimming: NO DIMMING


Installation and assembly

Please see the installation manual


Light distribution

Ground lighting

Outdoor lighting



Photometric data



Certificates



BAMBOO

Design by Antoni Arola & Enric Rodriguez.

Reference

4804.

Application

Outdoor

Installation type

Recessed

Description

Bamboo is an outdoor beacon with two finishes that make it possible to camouflage and integrate it into the landscape, with the added surprise that it produces light. Available in khaki, and oxide. Designed by Antoni Arola & Enric Rodriguez.

Diffuser

Acrylic diffuser

Materials

Body: Resin + fiberglass


Diffuser: Acrylic

Finishes

4804-07 Khaki (RAL 7006)

4804-54 Oxide (RAL 8017)

Sketch




Electrical characteristics

3 x LED 2.1W 700mA

Total 6.3 W



VIBIA



Light source: 2700K CRI >80 598 lm 95 lm/W

Fixture: 138 lm 22 lm/W

Driver included: CC - Constant Current 700 mA 100-240V 50/60Hz

Electronic dimming: NO DIMMING


Installation and assembly

Please see the installation manual


Light distribution

Ground lighting

Outdoor lighting



Photometric data



Certificates



BAMBOO

Design by Antoni Arola & Enric Rodríguez.

VIBIA

Reference

4811.

Application

Outdoor

Installation type

Recessed

Description

Bamboo is a recessed outdoor lamp with two arms. Available in three finishes – khaki and oxide – that make it possible to camouflage and integrate it into the landscape, with the added surprise that it produces light. Designed by Antoni Arola & Enric Rodríguez.

Diffuser

PMMA diffuser

Materials

Body: Resin + fiberglass


Diffuser: Acrylic

Finishes

4811-07 Khaki (RAL 7006)

4811-54 Oxide (RAL 8017)

Sketch



Light source: 2700K CRI >80 1395 lm 95 lm/W

Fixture: 332 lm 22 lm/W

Driver included: CC - Constant Current 700 mA 120-277V 50/60Hz

Electronic dimming: NO DIMMING

Installation and assembly

Please see the installation manual


Light distribution

Ground lighting

Outdoor lighting



Photometric data



Certificates



Electrical characteristics

7 x LED 2.1W 700mA

Total 14.7 W



BAMBOO

Design by Antoni Arola & Enric Rodríguez.

VIBIA

Reference

4812.

Application

Outdoor

Installation type

Recessed

Description

Bamboo is a recessed outdoor lamp with three arms. Available in two finishes – khaki, and oxide – that make it possible to camouflage and integrate it into the landscape, with the added surprise that it produces light. Designed by Antoni Arola & Enric Rodríguez.

Diffuser

Acrylic diffuser


Materials

Body: Resin + fiberglass


Diffuser: Acrylic

Finishes

 **4812-07** Khaki (RAL 7006)

 **4812-54** Oxide (RAL 8017)

Sketch



Electrical characteristics

9 x LED 2.1W 700mA

Total 18.9 W



Light source: 2700K CRI >80 1794 lm 95 lm/W

Fixture: 420 lm 22 lm/W

Driver included: CC - Constant Current 700 mA 120-277V 50/60Hz

Electronic dimming: NO DIMMING


Installation and assembly

Please see the installation manual


Light distribution

Ground lighting

Outdoor lighting



Photometric data



Certificates



BAMBOO

Design by Antoni Arola & Enric Rodriguez.

VIBIA

Reference

4815.

Application

Outdoor

Installation type

Surface mounted

Description

Surface installation accessory.

Materials


Base: Polymer concrete

Finishes




4815-18 Grey polymer concrete (RAL 7035)

Sketch



Electrical characteristics




Installation and assembly

Please see the installation manual

Light distribution

Ground lighting

Outdoor lighting



Photometric data

Certificates

