Design by Jordi Vilardell.

VIBIA

06



Light source: 2700K CRI >80 671 lm 104 lm/W Fixture: 428 lm 60 lm/W Driver included: CC - Constant Current 350 mA 120-240V 50/60Hz

Electronic dimming: NO DIMMING

Installation and assembly Please see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Certificates



Electrical characteristics 2 x LED PLATE 3.2W 350mA

0

A++

Total 6.4 W



Reference

5427.

Application Ceiling Fixtures

Installation type Surface mounted

Description

Puck achieves great purity of line and beauty of form. The use of triplex opal blown glass of the highest quality and the white cast aluminum body gives the product a perfect finish. Puck produces warm diffused illumination without glare. Whether selecting the single button of glass or a design with multiple diffusers each design only requires one junction box for mounting.

Diffuser

Matte triplex opal blown-glass diffuser


Materials

Wall support: Aluminum

Finishes



Sketch



Reference 5432.

Application **Ceiling Fixtures**

Installation type Surface mounted

Description

mounting.

Diffuser

Design by Jordi Vilardell.





Light source: 2700K CRI >80 1640 Im 107 Im/W Fixture: 933 Im 56 Im/W Driver included: CC - Constant Current 350 mA 120-240V 50/60Hz

Electronic dimming: NO DIMMING

Installation and assembly Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates





Jmina 425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305 404.876.1064 sales@illumco.com

Matte triplex opal blown-glass diffuser

Puck achieves great purity of line and beauty of form. The use of triplex opal blown glass of the highest quality and the white cast aluminum body gives the product a perfect finish. Puck produces warm diffused illumination without glare. Whether selecting the single button of glass or a design with multiple diffusers each design only requires one junction box for


Wall support: Aluminum

Finishes

Materials

5432-03 White (RAL 9016)

Sketch



Electrical characteristics 2 x LED PLATE 7.6W 350mA 0

Total 15.2 W



Design by Jordi Vilardell.

VIBIA

0



Light source: CRI >80 Fixture: 413 lm 0 lm/W Driver included: 120V 50/60Hz

Electronic dimming: NO DIMMING

Installation and assembly Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates





Reference

5425.

Application Ceiling Fixtures

Installation type Surface mounted

Description

Puck achieves great purity of line and beauty of form. The use of triplex opal blown glass of the highest quality and the white cast aluminum body gives the product a perfect finish. Puck produces warm diffused illumination without glare. Whether selecting the single button of glass or a design with multiple diffusers each design only requires one junction box for mounting.

Diffuser

Matte triplex opal blown-glass diffuser


Materials

Diffuser: Blown-glass

Finishes

5425-03 White (RAL 9016)

Sketch



Electrical characteristics

×

Design by Jordi Vilardell.



Light source: CRI >80 Fixture: 416 lm 0 lm/W Driver included: 120V 50/60Hz

Electronic dimming: NO DIMMING

Installation and assembly Please see the installation manual


Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data



Certificates





Reference

5430.

Application Ceiling Fixtures

Installation type Surface mounted

Description

Puck achieves great purity of line and beauty of form. The use of triplex opal blown glass of the highest quality and the white cast aluminum body gives the product a perfect finish. Puck produces warm diffused illumination without glare. Whether selecting the single button of glass or a design with multiple diffusers each design only requires one junction box for mounting.

Diffuser

Matte triplex opal blown-glass diffuser


Materials

Diffuser: Blown-glass

Finishes

5430-03 White (RAL 9016)

Sketch



Electrical characteristics

×