# Wireflow

Design by Arik Levy.

# . . . . . . . . . . .



Light source: 2700K CRI >80 4902 Im 108 Im/W Driver included: CC - Constant Current 700 mA 120~277V 50/60Hz

Electronic dimming: 0-10V Optional dimming: DALI

**Technical characteristics** 


- Cable can be adjusted in the field. 157" max.

Highlight

Lamp used to highlight a specific element.



# Photometric data



404.876.1064

425 Peachtree Hills Ave. NE #3 Atlanta, GA 30305

sales@illumco.com





VIBIA, INC.272 Fernwood Ave. Edison, NJ 08837 USA. Phone 732 417 1700 Fax 732 417 1701. sales@vibialight.com www.vibia.com

# Reference 0330.

Application Pendants

Installation type Surface mounted

### Description

Wireflow designed by Arik Levy. Linear hanging lamp Its appearance, as a structure of fine cables finished with ten 4,5W LED terminals, is ideal for discretely connecting with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Ideal for decorating large spaces, particularly ones with high ceilings, including hotel reception areas, retail spaces.

## Diffuser

Optical diffuser: Polycarbonate


### Materials

Body: Aluminum Horizontal rods: Steel Canopy: Steel

### Finishes

0330-04 Black (RAL 9005)

Sketch



**Electrical characteristics** 10 x LED 4.5W 700mA

# (ē)



max.

Total 45.0 W

Certificates

IP20 🖶 Dimmable 🕄 🗶 LED