

VISTOSI DIADEMA VERTICAL SUSP





# DIADEMA

Romani Saccani Architetti Associati 2005

Tonalità del vetro  
Glass colour tone

CR MC/1 TO

Parti metalliche  
Metal parts

CR

|       |            |    |     |
|-------|------------|----|-----|
| E27   | 10x77W E27 | ES | LED |
| IP20  |            |    |     |
| CE    |            |    |     |
| 230V  |            |    |     |
| 50 Hz |            |    |     |

|       |            |    |     |
|-------|------------|----|-----|
| E26   | 10x60W E26 | ES | LED |
| 120V  |            |    |     |
| 60 Hz |            |    |     |

technical data USA & Canada

|       |           |    |     |
|-------|-----------|----|-----|
| E27   | 3x77W E27 | ES | LED |
| IP20  |           |    |     |
| CE    |           |    |     |
| 230V  |           |    |     |
| 50 Hz |           |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 3x60W E26 | ES | LED |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP O1

|       |           |    |     |
|-------|-----------|----|-----|
| E27   | 3x77W E27 | ES | LED |
| IP20  |           |    |     |
| CE    |           |    |     |
| 230V  |           |    |     |
| 50 Hz |           |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 3x60W E26 | ES | LED |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP K2

|       |           |    |     |
|-------|-----------|----|-----|
| E27   | 8x77W E27 | ES | LED |
| IP20  |           |    |     |
| CE    |           |    |     |
| 230V  |           |    |     |
| 50 Hz |           |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 8x60W E26 | ES | LED |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP C1

|       |           |    |     |
|-------|-----------|----|-----|
| E27   | 8x77W E27 | ES | LED |
| IP20  |           |    |     |
| CE    |           |    |     |
| 230V  |           |    |     |
| 50 Hz |           |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 8x60W E26 | ES | LED |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP 60

|       |                         |    |     |
|-------|-------------------------|----|-----|
| E27   | 1x77W E27               | ES | LED |
| LED   | Disponibile / Available | C  |     |
| IP20  |                         |    |     |
| CE    |                         |    |     |
| 230V  |                         |    |     |
| 50 Hz |                         |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 1x60W E26 | ES | LED |
| LED   | Available | C  |     |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP 30

|       |                         |    |     |
|-------|-------------------------|----|-----|
| E27   | 1x77W E27               | ES | LED |
| LED   | Disponibile / Available | C  |     |
| IP20  |                         |    |     |
| CE    |                         |    |     |
| 230V  |                         |    |     |
| 50 Hz |                         |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 1x60W E26 | ES | LED |
| LED   | Available | C  |     |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA SP 18

|       |                         |    |     |
|-------|-------------------------|----|-----|
| ALO   | 1x60W G9                | ES | LED |
| LED   | Disponibile / Available | C  |     |
| IP20  |                         |    |     |
| CE    |                         |    |     |
| 230V  |                         |    |     |
| 50 Hz |                         |    |     |

|       |           |   |  |
|-------|-----------|---|--|
| ALO   | 1x60W G9  |   |  |
| LED   | Available | C |  |
| 120V  |           |   |  |
| 60 Hz |           |   |  |

technical data USA & Canada

DIADEMA SP

|       |            |  |  |
|-------|------------|--|--|
| ALO   | 2x120W R7s |  |  |
| FL    | 2x36W 2G11 |  |  |
| IP20  |            |  |  |
| CE    |            |  |  |
| 230V  |            |  |  |
| 50 Hz |            |  |  |

|       |            |  |  |
|-------|------------|--|--|
| ALO   | 2x120W R7s |  |  |
| FL    | 2x36W 2G11 |  |  |
| 120V  |            |  |  |
| 60 Hz |            |  |  |

technical data USA & Canada

DIADEMA PL 80

|       |          |    |     |
|-------|----------|----|-----|
| ALO   | 1x60W G9 | ES | LED |
| IP20  |          |    |     |
| CE    |          |    |     |
| 230V  |          |    |     |
| 50 Hz |          |    |     |

|       |          |  |  |
|-------|----------|--|--|
| ALO   | 1x60W G9 |  |  |
| 120V  |          |  |  |
| 60 Hz |          |  |  |

technical data USA & Canada

DIADEMA FA

|       |           |    |     |
|-------|-----------|----|-----|
| E27   | 2x77W E27 | ES | LED |
| IP20  |           |    |     |
| CE    |           |    |     |
| 230V  |           |    |     |
| 50 Hz |           |    |     |

|       |           |    |     |
|-------|-----------|----|-----|
| E26   | 2x60W E26 | ES | LED |
| 120V  |           |    |     |
| 60 Hz |           |    |     |

technical data USA & Canada

DIADEMA AP E27

|       |          |    |     |
|-------|----------|----|-----|
| ALO   | 2x60W G9 | ES | LED |
| IP20  |          |    |     |
| CE    |          |    |     |
| 230V  |          |    |     |
| 50 Hz |          |    |     |

|       |          |  |  |
|-------|----------|--|--|
| ALO   | 2x60W G9 |  |  |
| 120V  |          |  |  |
| 60 Hz |          |  |  |

technical data USA & Canada

DIADEMA AP G9

|       |          |     |  |
|-------|----------|-----|--|
| ALO   | 4x60W G9 | LED |  |
| IP20  |          |     |  |
| CE    |          |     |  |
| 230V  |          |     |  |
| 50 Hz |          |     |  |

|       |          |  |  |
|-------|----------|--|--|
| ALO   | 4x60W G9 |  |  |
| 120V  |          |  |  |
| 60 Hz |          |  |  |

technical data USA & Canada

DIADEMA AP K1

|       |                         |   |  |
|-------|-------------------------|---|--|
| ALO   | 2x80W R7s               |   |  |
| FL    | 1x55W 2G11              |   |  |
| LED   | Disponibile / Available | L |  |
| IP20  |                         |   |  |
| CE    |                         |   |  |
| 230V  |                         |   |  |
| 50 Hz |                         |   |  |

|       |            |  |  |
|-------|------------|--|--|
| ALO   | 2x80W R7s  |  |  |
| E26   | 2x60W E26  |  |  |
| FL    | 1x55W 2G11 |  |  |
| 120V  |            |  |  |
| 60 Hz |            |  |  |

technical data USA & Canada

DIADEMA AP

segue / continues